

Sycamore Shoals Hospital

| MS-DRG (ICD-10) | MS-DRG Description | Geo LOS Observed | Mortality Observed | Readmissions Observed (HWR) | Geo Cost/Case Observed |
|-----------------|--|------------------|--------------------|-----------------------------|------------------------|
| 871 | SEPTICEMIA/SEV SEPSIS WO MV>96 HR W MCC | 4.07 | 10.49% | 13.03% | \$7,306 |
| 193 | SIMPLE PNEUMONIA AND PLEURISY W MCC | 3.81 | 3.17% | 11.57% | \$6,538 |
| 291 | HRT FAILURE AND SHOCK W MCC | 3.57 | 1.98% | 12.50% | \$5,736 |
| 872 | SEPTICEMIA/SEV SEPSIS WO MV>96 HR WO MCC | 3.10 | 0.88% | 5.66% | \$4,732 |
| 177 | RESPIRATORY INFCT&INFLAMMATIONS W MCC | 4.79 | 4.67% | 15.00% | \$7,612 |
| 470 | MAJ HIP/KN REPL/REATCH LO EXTRM WO MCC | 1.75 | 0.00% | 2.50% | \$11,293 |
| 638 | DIABETES W CC | 2.72 | 0.00% | 3.90% | \$4,322 |
| 603 | CELLULITIS WO MCC | 2.84 | 0.00% | 7.46% | \$3,880 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DZ W MCC | 3.34 | 1.59% | 16.67% | \$5,855 |
| 280 | ACUTE MYCARD INFRC, DISCH ALIVE W MCC | 3.31 | 0.00% | 16.67% | \$6,025 |
| 392 | ESOPHTS,GASTREN&MISC DGSTV DISORD WO MCC | 2.10 | 0.00% | 3.77% | \$3,765 |
| 641 | MISC DISORD NUTR FLUIDS&ELELYT WO MCC | 2.09 | 0.00% | 9.62% | \$3,378 |
| 682 | RENAL FAILURE W MCC | 3.97 | 7.14% | 11.54% | \$5,951 |
| 683 | RENAL FAILURE W CC | 2.74 | 0.00% | 8.51% | \$4,087 |
| 690 | KIDNEY&URINARY TRACT INFCT WO MCC | 2.90 | 0.00% | 8.89% | \$4,158 |
| 689 | KIDNEY&URINARY TRACT INFCT W MCC | 3.84 | 2.17% | 13.64% | \$5,364 |
| 189 | PULMONARY EDEMA AND RESPIRATORY FAILURE | 3.83 | 6.82% | 17.07% | \$6,854 |
| 309 | CARD ARRHYTHMIA&CONDUCTION DISORD W CC | 2.29 | 0.00% | 10.53% | \$3,921 |
| 378 | G.I. HEMRG W CC | 1.85 | 0.00% | 10.81% | \$4,233 |
| 698 | OTHER KIDNEY&URINARY TRACT DX W MCC | 4.41 | 5.41% | 2.94% | \$6,618 |
| 194 | SIMPLE PNEUMONIA AND PLEURISY W CC | 2.95 | 0.00% | 6.06% | \$4,456 |
| 313 | CHEST PAIN | 1.39 | 0.00% | 3.85% | \$3,311 |
| 917 | POISONING&TOXIC EFFECTS OF DRUGS W MCC | 2.83 | 0.00% | 0.00% | \$5,493 |
| 812 | RED BLOOD CELL DISORD WO MCC | 1.59 | 0.00% | 17.86% | \$2,982 |
| 389 | G.I. OBSTRUCTION W CC | 2.93 | 3.23% | 3.33% | \$3,058 |
| 640 | MISC DISORD NUTR FLUIDS&ELELYT W MCC | 3.92 | 3.57% | 8.33% | \$5,827 |
| 281 | ACUTE MYCARD INFRC, DISCH ALIVE W CC | 1.51 | 0.00% | 6.67% | \$3,453 |
| 637 | DIABETES W MCC | 3.20 | 3.70% | 4.00% | \$4,834 |
| 813 | COAGULATION DISORD | 3.74 | 3.85% | 8.00% | \$6,829 |
| 305 | HYPERTENSION WO MCC | 1.69 | 0.00% | 5.00% | \$3,714 |
| 854 | INFCT&PARASITIC DZ W O.R. PROC W CC | 3.90 | 0.00% | 12.00% | \$9,087 |
| 308 | CARD ARRHYTHMIA&CONDUCTION DISORD W MCC | 3.35 | 0.00% | 0.00% | \$6,597 |
| 175 | PULM EMBLSM W MCC OR ACUTE COR PULMONALE | 2.73 | 0.00% | 11.76% | \$5,183 |
| 312 | SYNCOPE AND COLLAPSE | 2.10 | 0.00% | 0.00% | \$3,681 |
| 811 | RED BLOOD CELL DISORD W MCC | 2.31 | 0.00% | 23.81% | \$4,881 |
| 310 | CARD ARRHYTHMIA&CONDCT DISORD WO CC/MCC | 1.60 | 0.00% | 5.88% | \$2,960 |
| 853 | INFCT&PARASITIC DZ W O.R. PROC W MCC | 6.11 | 0.00% | 6.25% | \$13,091 |
| 391 | ESOPHTS,GASTREN&MISC DGSTV DISORD W MCC | 3.47 | 0.00% | 23.53% | \$6,035 |
| 439 | DISORD OF PANCREAS EXCEPT MALIG W CC | 2.82 | 0.00% | 0.00% | \$4,114 |
| 65 | INTRCRN HEMRG/CEREB INFRC W CC/TPA 24 HR | 2.34 | 0.00% | 0.00% | \$4,987 |
| 432 | CIRRHOSIS AND ALCOHOLIC HEPATITIS W MCC | 3.71 | 12.50% | 38.46% | \$6,392 |
| 433 | CIRRHOSIS AND ALCOHOLIC HEPATITIS W CC | 3.29 | 0.00% | 42.86% | \$4,410 |
| 178 | RESPIRATORY INFCT&INFLAMMATIONS W CC | 4.92 | 0.00% | 15.38% | \$6,965 |
| 377 | G.I. HEMRG W MCC | 4.04 | 7.69% | 8.33% | \$8,639 |
| 394 | OTHER DIGESTIVE SYS DIAGNOSES W CC | 1.89 | 0.00% | 25.00% | \$3,545 |
| 442 | DISORD LIVER EXCP MALIG,CIRR,HEP W CC | 2.22 | 7.14% | 0.00% | \$3,354 |
| 897 | ALC,DRUG ABUSE/DEP WO REHAB THAPY WO MCC | 3.55 | 0.00% | 14.29% | \$4,428 |
| 918 | POISONING&TOXIC EFFECTS OF DRUGS WO MCC | 1.78 | 0.00% | 0.00% | \$3,224 |
| 64 | INTRCRN HEMRG OR CEREBRAL INFRC W MCC | 5.03 | 9.09% | 10.00% | \$8,222 |
| 176 | PULMONARY EMBOLISM WO MCC | 2.15 | 0.00% | 0.00% | \$4,262 |
| 303 | ATHEROSCLEROSIS WO MCC | 1.58 | 0.00% | 0.00% | \$3,523 |
| 481 | HIP&FEMUR PROC EXCP MAJOR JOINT W CC | 3.01 | 0.00% | 15.38% | \$10,057 |
| 329 | MAJOR SMALL AND LARGE BOWEL PROC W MCC | 8.42 | 0.00% | 30.00% | \$21,578 |
| 418 | LAPAROSCOPIC CHOLE WO C.D.E. W CC | 1.68 | 0.00% | 0.00% | \$6,936 |
| 419 | LAPAROSCOPIC CHOLE WO C.D.E. WO CC/MCC | 1.51 | 0.00% | 0.00% | \$6,552 |
| 552 | MEDICAL BACK PROBLEMS WO MCC | 2.11 | 0.00% | 0.00% | \$3,398 |
| 617 | AMPUTATION OF LOWER LIMB FOR ENDOCRINE | 5.84 | 0.00% | 9.09% | \$9,543 |
| 639 | DIABETES WO CC/MCC | 1.63 | 0.00% | 9.09% | \$3,289 |
| 282 | ACUTE MYCARD INFRC DISCH ALIVE WO CC/MCC | 1.37 | 0.00% | 0.00% | \$2,906 |
| 438 | DISORD OF PANCREAS EXCEPT MALIG W MCC | 4.14 | 0.00% | 11.11% | \$5,689 |
| 467 | REVIS OF HIP OR KNEE REPLACEMENT W CC | 3.13 | 0.00% | 0.00% | \$13,845 |
| 469 | MAJ HIP/KN JT REPL W MCC/ TOT ANKL REPL | 3.92 | 0.00% | 10.00% | \$16,977 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DZ W CC | 2.12 | 0.00% | 22.22% | \$4,283 |
| 202 | BRONCHITIS AND ASTHMA W CC/MCC | 2.93 | 0.00% | 0.00% | \$4,963 |
| 292 | HRT FAILURE AND SHOCK W CC | 2.35 | 0.00% | 12.50% | \$3,755 |

Top 10

| | | | | | |
|-----|--|-------|---------|---------|----------|
| 343 | APPENDECTOMY WO COMP PRIN DX WO CC/MCC | 1.07 | 0.00% | 0.00% | \$6,369 |
| 390 | G.I. OBSTRUCTION WO CC/MCC | 2.02 | 0.00% | 0.00% | \$2,526 |
| 417 | LAPAROSCOPIC CHOLE WO C.D.E. W MCC | 3.00 | 0.00% | 11.11% | \$9,344 |
| 870 | SEPTICEMIA/SEV SEPSIS W MV >96 HOURS | 11.46 | 44.44% | 25.00% | \$29,239 |
| 330 | MAJOR SMALL AND LARGE BOWEL PROC W CC | 4.59 | 0.00% | 33.33% | \$12,511 |
| 602 | CELLULITIS W MCC | 3.25 | 0.00% | 25.00% | \$4,803 |
| 948 | SIGNS AND SYMPTOMS WO MCC | 2.19 | 0.00% | 0.00% | \$4,178 |
| 69 | TRANSIENT ISCHEMIA WO THROMBOLYTIC | 2.28 | 0.00% | 0.00% | \$4,803 |
| 372 | MAJOR GI DISORD&PERITONEAL INFCT W CC | 2.81 | 0.00% | 0.00% | \$4,304 |
| 522 | HIP REPLACEMENT W PDX OF HIP FX WO MCC | 3.82 | 0.00% | 12.50% | \$13,083 |
| 699 | OTHER KIDNEY&URINARY TRACT DX W CC | 3.51 | 0.00% | 0.00% | \$4,193 |
| 195 | SIMPLE PNEUMONIA AND PLEURISY WO CC/MCC | 1.92 | 0.00% | 0.00% | \$3,922 |
| 300 | PERIPHERAL VASC DISORD W CC | 4.74 | 0.00% | 0.00% | \$5,856 |
| 395 | OTHER DIGESTIVE SYS DIAGNOSES WO CC/MCC | 1.29 | 0.00% | 20.00% | \$2,290 |
| 441 | DISORD LIVER EXCP MALIG,CIRR,HEP W MCC | 5.04 | 14.29% | 33.33% | \$7,107 |
| 623 | SKIN GRFT&WND DEBRID ENDOCR DISORD W CC | 4.70 | 0.00% | 28.57% | \$5,991 |
| 884 | ORGIC DISTURBANCES&INTELLECTUAL DISABIL | 3.86 | 0.00% | 14.29% | \$5,076 |
| 896 | ALC,DRUG ABUSE/DEP WO REHAB THAPY W MCC | 6.53 | 0.00% | 16.67% | \$11,479 |
| 71 | NONSPECIFIC CEREBROVASC DISORD W CC | 3.49 | 0.00% | 16.67% | \$5,112 |
| 331 | MAJOR SMALL&LARGE BOWEL PROC WO CC/MCC | 2.29 | 0.00% | 0.00% | \$8,198 |
| 342 | APPENDECTOMY WO COMP PRINCIPAL DX W CC | 1.65 | 0.00% | 0.00% | \$7,801 |
| 375 | DIGESTIVE MALIGNANCY W CC | 1.85 | 0.00% | | \$4,686 |
| 440 | DISORD PANCREAS EXCEPT MALIG WO CC/MCC | 1.59 | 0.00% | 0.00% | \$2,386 |
| 558 | TENDONITIS, MYOSITIS AND BURSITIS WO MCC | 1.70 | 0.00% | 0.00% | \$2,652 |
| 644 | ENDOCRINE DISORD W CC | 3.77 | 0.00% | 0.00% | \$5,605 |
| 907 | OTHER O.R. PROC FOR INJURIES W MCC | 2.57 | 0.00% | 20.00% | \$9,647 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 2.90 | 83.33% | 100.00% | \$2,593 |
| 66 | INTRCRN HEMRG OR CEREB INFRC WO CC/MCC | 2.17 | 0.00% | 0.00% | \$5,141 |
| 101 | SEIZURES WO MCC | 1.64 | 0.00% | 0.00% | \$2,383 |
| 208 | RESP SYS DX W VENT SUPPORT <=96 HOURS | 5.46 | 66.67% | 0.00% | \$12,370 |
| 283 | ACUTE MYCARD INFARCTION, EXPIRED W MCC | 5.00 | 100.00% | | \$9,910 |
| 314 | OTHER CIRCULATORY SYS DIAGNOSES W MCC | 5.47 | 25.00% | 0.00% | \$9,986 |
| 336 | PERITONEAL ADHESIOLYSIS W CC | 6.74 | 0.00% | 40.00% | \$12,649 |
| 466 | REVIS OF HIP OR KNEE REPLACEMENT W MCC | 3.81 | 0.00% | 0.00% | \$16,744 |
| 521 | HIP REPLACEMENT W PDX OF HIP FX W MCC | 7.95 | 0.00% | 0.00% | \$16,631 |
| 894 | ALC,DRUG ABUSE OR DEPENDENCE, LEFT AMA | 1.52 | 0.00% | | \$2,774 |
| 908 | OTHER O.R. PROC FOR INJURIES W CC | 2.93 | 0.00% | 0.00% | \$6,742 |
| 4 | TRCHOS W MV >96 HOURS OR PDX EXCEPT FACE | 36.07 | 50.00% | 0.00% | \$99,106 |
| 57 | DEGENERATIVE NERVOUS SYS DISORD WO MCC | 2.97 | 0.00% | 0.00% | \$5,596 |
| 74 | CRANIAL&PERIPHERAL NERVE DISORD WO MCC | 2.63 | 0.00% | 0.00% | \$5,573 |
| 240 | AMP CIRC DISORD EXCP UP LIMB&TOE W CC | 6.51 | 0.00% | 0.00% | \$11,668 |
| 299 | PERIPHERAL VASC DISORD W MCC | 4.24 | 0.00% | 0.00% | \$6,281 |
| 315 | OTHER CIRCULATORY SYS DIAGNOSES W CC | 2.63 | 0.00% | 50.00% | \$4,395 |
| 369 | MAJOR ESOPHAGEAL DISORD W CC | 3.41 | 0.00% | 25.00% | \$5,509 |
| 379 | G.I. HEMRG WO CC/MCC | 1.93 | 0.00% | 0.00% | \$3,874 |
| 388 | G.I. OBSTRUCTION W MCC | 2.63 | 25.00% | 66.67% | \$3,772 |
| 393 | OTHER DIGESTIVE SYS DIAGNOSES W MCC | 2.06 | 0.00% | 0.00% | \$4,730 |
| 539 | OSTEOMYELITIS W MCC | 6.40 | 0.00% | 0.00% | \$6,983 |
| 564 | OTHER MS SYS & CONN TISS DX W MCC | 4.05 | 0.00% | 0.00% | \$6,460 |
| 565 | OTHER MS SYS & CONN TISS DX W CC | 3.81 | 0.00% | 0.00% | \$5,330 |
| 580 | OTHER SKIN, SUBC TISSUE&BREAST PROC W CC | 2.21 | 0.00% | 0.00% | \$7,393 |
| 808 | MAJ HEMAT/IMMLOG EXCP SICK-CL W MCC | 7.26 | 33.33% | 0.00% | \$13,748 |
| 809 | MAJ HEMAT/IMMLOG EXCP SICK-CL W CC | 2.63 | 0.00% | 33.33% | \$4,862 |
| 856 | POSTOP OR POSTTRM INFCT W O.R. PROC WMCC | 6.00 | 0.00% | 0.00% | \$19,445 |
| 56 | DEGENERATIVE NERVOUS SYS DISORD W MCC | 9.11 | 33.33% | 0.00% | \$10,432 |
| 70 | NONSPECIFIC CEREBROVASC DISORD W MCC | 1.59 | 33.33% | 0.00% | \$3,912 |
| 85 | TRAUMATIC STUPOR&COMA, <1 HR W MCC | 3.78 | 33.33% | 0.00% | \$7,212 |
| 166 | OTHER RESPIRATORY SYS O.R. PROC W MCC | 8.94 | 0.00% | 0.00% | \$14,869 |
| 180 | RESPIRATORY NEOPLASMS W MCC | 2.62 | 0.00% | | \$3,639 |
| 206 | OTHER RESPIRATORY SYS DIAGNOSES WO MCC | 1.00 | 0.00% | 0.00% | \$1,579 |
| 311 | ANGINA PECTORIS | 1.26 | 0.00% | 33.33% | \$2,817 |
| 326 | STOMACH, ESOPHAGEAL&DUODENAL PROC W MCC | 4.16 | 0.00% | 0.00% | \$11,882 |
| 335 | PERITONEAL ADHESIOLYSIS W MCC | 5.52 | 0.00% | 0.00% | \$10,614 |
| 371 | MAJOR GI DISORD&PERITONEAL INFCT W MCC | 13.38 | 0.00% | 0.00% | \$16,080 |
| 374 | DIGESTIVE MALIGNANCY W MCC | 9.17 | 0.00% | | \$10,084 |
| 381 | COMPLICATED PEPTIC ULCER W CC | 2.00 | 0.00% | 0.00% | \$5,587 |
| 386 | INFLAMMATORY BOWEL DISEASE W CC | 2.88 | 0.00% | 0.00% | \$3,330 |
| 480 | HIP&FEMUR PROC EXCP MAJOR JOINT W MCC | 8.43 | 0.00% | 33.33% | \$16,801 |
| 492 | LOWER EXTRM AND HUMERUS PROC EXCEPT HIP | 6.07 | 0.00% | 0.00% | \$12,046 |

| | | | | | |
|-----|--|-------|--------|---------|----------|
| 493 | LOWER EXTRM AND HUMERUS PROC EXCEPT HIP | 2.62 | 0.00% | 0.00% | \$9,439 |
| 494 | LOWER EXTRM AND HUMERUS PROC EXCEPT HIP | 2.08 | 0.00% | 0.00% | \$10,614 |
| 504 | FOOT PROC W CC | 4.16 | 0.00% | 0.00% | \$7,098 |
| 536 | FRACTURES OF HIP AND PELVIS WO MCC | 1.00 | 50.00% | 0.00% | \$1,448 |
| 540 | OSTEOMYELITIS W CC | 3.30 | 0.00% | 0.00% | \$4,487 |
| 542 | PATH FX & MS & CONN TISS MALIG W MCC | 2.00 | 0.00% | 0.00% | \$4,369 |
| 543 | PATH FX & MS & CONN TISS MALIG W CC | 3.56 | 0.00% | 0.00% | \$3,793 |
| 556 | SIGNS & SYMP MS SYS & CONN TISS WO MCC | 3.63 | 0.00% | 0.00% | \$4,480 |
| 560 | AFTERCARE, MS SYS AND CONN TISS W CC | 3.78 | 0.00% | 0.00% | \$4,699 |
| 563 | FX STRN&DISLOC EXCP FEMR HIP PELV WO MCC | 2.88 | 0.00% | 0.00% | \$3,047 |
| 605 | TRAUMA TO SKIN, SUBC TISS&BREAST WO MCC | 3.17 | 0.00% | 0.00% | \$4,206 |
| 684 | RENAL FAILURE WO CC/MCC | 2.00 | 0.00% | 0.00% | \$4,172 |
| 863 | POSTOP AND POSTTRM INFCT WO MCC | 3.17 | 0.00% | 0.00% | \$3,713 |
| 880 | AC ADJUSTMENT REACTION&PSYCHOSOCIAL DYSF | 1.26 | 0.00% | | \$2,797 |
| 909 | OTHER O.R. PROC FOR INJURIES WO CC/MCC | 2.76 | 0.00% | 0.00% | \$5,774 |
| 922 | OTH INJ,POISONING&TOXIC EFFECT DX W MCC | 2.71 | 0.00% | 0.00% | \$4,302 |
| 73 | CRANIAL&PERIPHERAL NERVE DISORD W MCC | 1.41 | 0.00% | 0.00% | \$3,258 |
| 78 | HYPERTENSIVE ENCEPHALOPATHY W CC | 5.48 | 50.00% | 0.00% | \$8,259 |
| 83 | TRAUMATIC STUPOR&COMA, >1 HR W CC | 1.00 | 0.00% | 0.00% | \$2,058 |
| 92 | OTHER DISORD OF NERVOUS SYS W CC | 1.41 | 0.00% | 0.00% | \$2,765 |
| 103 | HEADACHES WO MCC | 2.00 | 0.00% | 0.00% | \$4,613 |
| 149 | DYSEQUILIBRIUM | 1.73 | 0.00% | 0.00% | \$3,984 |
| 158 | DENTAL AND ORAL DISEASES W CC | 3.00 | 0.00% | 0.00% | \$3,266 |
| 186 | PLEURAL EFFUSION W MCC | 4.47 | 0.00% | 0.00% | \$5,871 |
| 187 | PLEURAL EFFUSION W CC | 4.00 | 0.00% | 100.00% | \$6,280 |
| 192 | CHRONIC OBSTRUCTIVE PULM DZ WO CC/MCC | 2.00 | 0.00% | 0.00% | \$2,864 |
| 199 | PNEUMOTHORAX W MCC | 3.00 | 0.00% | 100.00% | \$3,909 |
| 239 | AMP CIRC DISORD EXCP UP LIMB&TOE W MCC | 14.97 | 50.00% | 100.00% | \$26,523 |
| 255 | UPPER LIMB&TOE AMP CIRC SYS DISORD W MCC | 8.06 | 0.00% | 50.00% | \$12,540 |
| 264 | OTHER CIRCULATORY SYS O.R. PROC | 2.45 | 0.00% | 0.00% | \$4,939 |
| 302 | ATHEROSCLEROSIS W MCC | 3.46 | 0.00% | 0.00% | \$5,811 |
| 346 | MINOR SMALL&LARGE BOWEL PROC WO CC/MCC | 2.00 | 0.00% | 0.00% | \$1,973 |
| 350 | INGUINAL AND FEMORAL HERNIA PROC W MCC | 3.87 | 0.00% | 0.00% | \$7,498 |
| 351 | INGUINAL AND FEMORAL HERNIA PROC W CC | 2.00 | 0.00% | 0.00% | \$5,961 |
| 354 | HERNIA PROC EXCP INGUINAL&FEMORAL W CC | 1.41 | 0.00% | 0.00% | \$5,624 |
| 355 | HERNIA PROC EXCP INGUINAL&FEMR WO CC/MCC | 1.41 | 0.00% | 0.00% | \$7,030 |
| 380 | COMPLICATED PEPTIC ULCER W MCC | 2.00 | 0.00% | 0.00% | \$5,076 |
| 383 | UNCOMPLICATED PEPTIC ULCER W MCC | 3.46 | 0.00% | 0.00% | \$7,963 |
| 387 | INFLAMMATORY BOWEL DISEASE WO CC/MCC | 3.46 | 0.00% | 0.00% | \$2,859 |
| 436 | MALIG OF HEPBIL SYS OR PANCREAS W CC | 1.00 | 0.00% | | \$1,363 |
| 443 | DISORD LIVER EXCP MALIG,CIRR WO CC/MCC | 1.41 | 0.00% | 0.00% | \$2,860 |
| 463 | WND DEBRID/SKIN GRAFT EXCP HND W MCC | 3.46 | 0.00% | 0.00% | \$7,635 |
| 468 | REVIS OF HIP/KNEE REPLACEMENT WO CC/MCC | 1.00 | 0.00% | 0.00% | \$10,584 |
| 488 | KNEE PROC WO PDX OF INFCT W CC/MCC | 1.41 | 0.00% | 0.00% | \$8,903 |
| 535 | FRACTURES OF HIP AND PELVIS W MCC | 4.58 | 0.00% | 0.00% | \$7,131 |
| 544 | PATH FX & MS & CONN TISS MALIG WO CC/MCC | 2.45 | 0.00% | 0.00% | \$2,974 |
| 547 | CONNECTIVE TISSUE DISORD WO CC/MCC | 3.46 | 0.00% | 0.00% | \$5,705 |
| 551 | MEDICAL BACK PROBLEMS W MCC | 14.87 | 0.00% | 50.00% | \$17,017 |
| 555 | SIGNS & SYMP MS SYS & CONN TISS W MCC | 5.92 | 0.00% | 50.00% | \$6,300 |
| 557 | TENDONITIS, MYOSITIS AND BURSITIS W MCC | 4.24 | 0.00% | 0.00% | \$6,887 |
| 559 | AFTERCARE, MS SYS AND CONN TISS W MCC | 10.95 | 0.00% | 0.00% | \$13,596 |
| 571 | SKIN DEBRIDEMENT W CC | 6.24 | 0.00% | 0.00% | \$10,383 |
| 581 | OTHER SKIN,SUBC TISS&BRST PROC WO CC/MCC | 1.41 | 0.00% | 0.00% | \$4,101 |
| 607 | MINOR SKIN DISORD WO MCC | 5.20 | 0.00% | 0.00% | \$5,684 |
| 627 | THYROID,PARATHYR&THYROGLOSSAL WO CC/MCC | 1.00 | 0.00% | 0.00% | \$6,928 |
| 642 | INBORN AND OTHER DISORD OF METABOLISM | 1.41 | 0.00% | 50.00% | \$3,150 |
| 643 | ENDOCRINE DISORD W MCC | 3.87 | 0.00% | 0.00% | \$4,921 |
| 694 | URINARY STONES WO MCC | 1.00 | 0.00% | | \$1,837 |
| 815 | RETICULOENDOTHELIAL&IMMUN DISORD W CC | 1.00 | 0.00% | 0.00% | \$3,157 |
| 866 | VIRAL ILLNESS WO MCC | 2.83 | 0.00% | 0.00% | \$6,627 |
| 921 | COMPLICATIONS OF TREATMENT WO CC/MCC | 2.00 | 0.00% | 0.00% | \$2,510 |
| 947 | SIGNS AND SYMPTOMS W MCC | 2.65 | 0.00% | 0.00% | \$4,501 |
| 956 | LMB REATCH,HP&FEMUR PROC MULT SIGFN TRAM | 4.00 | 0.00% | 0.00% | \$10,375 |
| 981 | XTENS O.R. PROC UNRELATED TO PDX W MCC | 4.36 | 0.00% | 0.00% | \$12,861 |
| 982 | XTENS O.R. PROC UNRELATED TO PDX W CC | 6.24 | 0.00% | 0.00% | \$9,769 |
| 987 | NON-XTENS O.R. PROC UNREL TO PDX W MCC | 5.74 | 0.00% | 0.00% | \$18,509 |
| 3 | ECMO/TRCHOS W MV >96 HOURS/PDX EXCP FACE | 37.00 | 0.00% | 0.00% | \$90,004 |
| 54 | NERVOUS SYS NEOPLASMS W MCC | 3.00 | 0.00% | | \$4,061 |
| 59 | MULT SCLEROSIS&CEREBELLAR ATAXIA W CC | 6.00 | 0.00% | 0.00% | \$8,569 |

| | | | | | |
|-----|--|-------|-------|---------|----------|
| 67 | NONSPEC CVA&PRECEREB OCCLS WOINFRC W MCC | 2.00 | 0.00% | 0.00% | \$4,380 |
| 68 | NONSPEC CVA&PRECEREB OCCLS WOINFRC WOMCC | 5.00 | 0.00% | 0.00% | \$6,541 |
| 80 | NONTRAUMATIC STUPOR&COMA W MCC | 2.00 | 0.00% | 0.00% | \$3,596 |
| 91 | OTHER DISORD OF NERVOUS SYS W MCC | 2.00 | 0.00% | 0.00% | \$2,663 |
| 93 | OTHER DISORD OF NERVOUS SYS WO CC/MCC | 1.00 | 0.00% | 0.00% | \$2,042 |
| 95 | BACTERIAL AND TB INFCT NERV SYS W CC | 9.00 | | | \$14,116 |
| 125 | OTHER DISORD OF THE EYE WO MCC | 1.00 | 0.00% | | \$1,435 |
| 145 | OTH EAR,NOSE,MOH&THRT PROC WO CC/MCC | 1.00 | 0.00% | 0.00% | \$2,552 |
| 146 | EAR MOUTH AND THROAT MALIGNANCY W MCC | 2.00 | 0.00% | | \$2,256 |
| 153 | OTITIS MEDIA AND URI WO MCC | 2.00 | 0.00% | 0.00% | \$2,976 |
| 157 | DENTAL AND ORAL DISEASES W MCC | 3.00 | 0.00% | 0.00% | \$4,436 |
| 164 | MAJOR CHEST PROC W CC | 1.00 | | | \$4,516 |
| 167 | OTHER RESPIRATORY SYS O.R. PROC W CC | 1.00 | 0.00% | 0.00% | \$9,528 |
| 179 | RESPIRATORY INFCT&INFLM WO CC/MCC | 1.00 | 0.00% | 0.00% | \$2,857 |
| 183 | MAJOR CHEST TRAUMA W MCC | 1.00 | 0.00% | 0.00% | \$3,861 |
| 185 | MAJOR CHEST TRAUMA WO CC/MCC | 5.00 | 0.00% | 0.00% | \$7,409 |
| 196 | INTERSTITIAL LUNG DISEASE W MCC | 3.00 | 0.00% | 0.00% | \$5,189 |
| 197 | INTERSTITIAL LUNG DISEASE W CC | 2.00 | 0.00% | 0.00% | \$4,271 |
| 200 | PNEUMOTHORAX W CC | 7.00 | 0.00% | 0.00% | \$6,302 |
| 204 | RESPIRATORY SIGNS AND SYMPTOMS | 1.00 | 0.00% | 0.00% | \$3,592 |
| 205 | OTHER RESPIRATORY SYS DIAGNOSES W MCC | 2.00 | 0.00% | 0.00% | \$7,549 |
| 207 | RESP SYS DX W VENT SUPPORT >96 HOURS | 16.00 | 0.00% | 0.00% | \$34,673 |
| 245 | AICD GENERATOR PROC | 11.00 | 0.00% | 0.00% | \$33,091 |
| 256 | UPPER LIMB&TOE AMP CIRC SYS DISORD W CC | 4.00 | 0.00% | 0.00% | \$7,475 |
| 288 | ACUTE AND SUBACUTE ENDOCARDITIS W MCC | 3.00 | | | \$3,161 |
| 304 | HYPERTENSION W MCC | 4.00 | 0.00% | 0.00% | \$7,293 |
| 316 | OTH CIRCULATORY SYS DIAGNOSES WO CC/MCC | 1.00 | 0.00% | 0.00% | \$2,886 |
| 328 | STOMACH, ESOPH&DUODENAL PROC WO CC/MCC | 3.00 | 0.00% | 0.00% | \$12,403 |
| 345 | MINOR SMALL AND LARGE BOWEL PROC W CC | 5.00 | 0.00% | 0.00% | \$9,750 |
| 347 | ANAL AND STOMAL PROC W MCC | 6.00 | 0.00% | 100.00% | \$13,028 |
| 348 | ANAL AND STOMAL PROC W CC | 3.00 | 0.00% | 100.00% | \$8,205 |
| 353 | HERNIA PROC EXCP INGUINAL&FEMORAL W MCC | 4.00 | 0.00% | 0.00% | \$7,528 |
| 356 | OTHER DIGESTIVE SYS O.R. PROC W MCC | 1.00 | 0.00% | 0.00% | \$6,684 |
| 357 | OTHER DIGESTIVE SYS O.R. PROC W CC | 6.00 | 0.00% | 0.00% | \$11,270 |
| 358 | OTHER DIGESTIVE SYS O.R. PROC WO CC/MCC | 2.00 | 0.00% | 0.00% | \$6,782 |
| 368 | MAJOR ESOPHAGEAL DISORD W MCC | 2.00 | 0.00% | 0.00% | \$8,994 |
| 373 | MAJ GI DISORD&PERITONEAL INFCT WO CC/MCC | 3.00 | 0.00% | 0.00% | \$3,095 |
| 385 | INFLAMMATORY BOWEL DISEASE W MCC | 3.00 | 0.00% | 0.00% | \$5,619 |
| 435 | MALIG OF HEPBIL SYS OR PANCREAS W MCC | 1.00 | 0.00% | | \$2,643 |
| 444 | DISORD OF THE BILIARY TRACT W MCC | 10.00 | 0.00% | 0.00% | \$14,370 |
| 445 | DISORD OF THE BILIARY TRACT W CC | 1.00 | 0.00% | 0.00% | \$2,094 |
| 461 | BILAT/MULT MAJ JNT PROC LO EXTRM W MCC | 4.00 | 0.00% | 100.00% | \$23,020 |
| 462 | BILAT/MULT MAJ JNT PROC LO EXTRM WO MCC | 3.00 | 0.00% | 0.00% | \$15,946 |
| 465 | WND DEBRID/SKIN GRAFT EXCP HND WO CC/MCC | 3.00 | 0.00% | 0.00% | \$17,630 |
| 482 | HIP&FEMUR PROC EXCP MAJ JOINT WO CC/MCC | 7.00 | 0.00% | 0.00% | \$11,972 |
| 483 | MAJ JNT/LIMB REATTACHMENT PROC UP EXTRM | 1.00 | 0.00% | 0.00% | \$14,139 |
| 485 | KNEE PROC W PDX OF INFCT W MCC | 14.00 | 0.00% | 0.00% | \$24,011 |
| 489 | KNEE PROC WO PDX OF INFCT WO CC/MCC | 1.00 | 0.00% | 0.00% | \$4,251 |
| 496 | LOC EXCIS&REMV INT FIX EXCP HIP& W CC | 7.00 | 0.00% | 0.00% | \$10,158 |
| 502 | SOFT TISSUE PROC WO CC/MCC | 3.00 | 0.00% | 0.00% | \$6,117 |
| 513 | HND/WRIST PROC,EXCP MAJ THM/JNT W CC/MCC | 8.00 | 0.00% | 0.00% | \$8,060 |
| 516 | OTHER MS SYS&CONN TISSUE O.R. PROC W CC | 6.00 | 0.00% | 0.00% | \$12,005 |
| 546 | CONNECTIVE TISSUE DISORD W CC | 3.00 | 0.00% | 0.00% | \$3,534 |
| 554 | BONE DISEASES AND ARTHROPATHIES WO MCC | 2.00 | 0.00% | 0.00% | \$2,858 |
| 561 | AFTERCARE, MS SYS & CONN TISS WO CC/MCC | 1.00 | 0.00% | 0.00% | \$5,268 |
| 572 | SKIN DEBRIDEMENT WO CC/MCC | 2.00 | 0.00% | 0.00% | \$2,109 |
| 577 | SKIN GRAFT EXCP FOR ULCER/CLULITIS W CC | 1.00 | 0.00% | 0.00% | \$18,452 |
| 578 | SKIN GRAFT EXCP ULCER/CLULITIS WO CC/MCC | 1.00 | 0.00% | 0.00% | \$11,184 |
| 582 | MASTECTOMY FOR MALIGNANCY W CC/MCC | 1.00 | 0.00% | 0.00% | \$6,475 |
| 592 | SKIN ULCERS W MCC | 4.00 | 0.00% | 0.00% | \$5,954 |
| 593 | SKIN ULCERS W CC | 5.00 | 0.00% | 0.00% | \$11,690 |
| 594 | SKIN ULCERS WO CC/MCC | 1.00 | 0.00% | | \$1,051 |
| 596 | MAJOR SKIN DISORD WO MCC | 2.00 | 0.00% | 0.00% | \$2,484 |
| 598 | MALIGNANT BREAST DISORD W CC | 4.00 | 0.00% | | \$5,359 |
| 622 | SKIN GRFT&WND DEBRID ENDOCR DISORD W MCC | 9.00 | 0.00% | 0.00% | \$15,648 |
| 628 | OTHER ENDOCR, NUTR&METAB O.R. PROC W MCC | 7.00 | 0.00% | 0.00% | \$9,065 |
| 653 | MAJOR BLADDER PROC W MCC | 13.00 | 0.00% | 0.00% | \$21,443 |
| 655 | MAJOR BLADDER PROC WO CC/MCC | 5.00 | 0.00% | 100.00% | \$15,591 |
| 686 | KIDNEY&URINARY TRACT NEOPLASMS W MCC | 2.00 | 0.00% | | \$1,925 |

| | | | | | |
|-----|--|------|-------|---------|----------|
| 696 | KIDNEY&URINARY TRACT SIGNS&SYMP WO MCC | 4.00 | 0.00% | 0.00% | \$4,902 |
| 728 | INFLAMMATION MALE REPROD SYS WO MCC | 4.00 | | | \$3,965 |
| 740 | UTER ADNXL PROC NON-OVRY ADNXL MALIG WCC | 1.00 | 0.00% | 0.00% | \$8,647 |
| 742 | UTER ADNXL PROC NON-MALIGNANCY W CC/MCC | 1.00 | 0.00% | 0.00% | \$10,292 |
| 743 | UTER ADNXL PROC NON-MALIGNANCY WO CC/MCC | 1.00 | 0.00% | 0.00% | \$5,815 |
| 754 | MALIG, FEMALE REPRODUCTIVE SYS W MCC | 3.00 | 0.00% | | \$3,331 |
| 757 | INFCT, FEMALE REPRODUCTIVE SYS W MCC | 4.00 | 0.00% | 0.00% | \$5,118 |
| 758 | INFCT, FEMALE REPRODUCTIVE SYS W CC | 1.00 | 0.00% | 100.00% | \$2,912 |
| 818 | OTHER ANTEPARTUM DX W O.R. PROC W CC | 2.00 | 0.00% | 0.00% | \$5,119 |
| 862 | POSTOP AND POSTTRM INFCT W MCC | 8.00 | 0.00% | 100.00% | \$11,047 |
| 885 | PSYCHOSES | 5.00 | 0.00% | | \$6,313 |
| 920 | COMPLICATIONS OF TREATMENT W CC | 4.00 | 0.00% | 0.00% | \$5,488 |
| 988 | NON-XTENS O.R. PROC UNREL TO PDX W CC | 5.00 | 0.00% | 0.00% | \$8,881 |