

JOHNSTON MEMORIAL HOSPITAL - FY 2018

Metrics by MSDRG for 80% of Inpatient Volume

| MSDRG Code | MSDRG Description | Metrics | Average Length of Stay (IP) | Mortality Rate (IP) | % 30 Day Readmits w/Excludes (Any APR-DRG) (IP) | Severity Adj Cost Per Case |
|------------|---|---------|-----------------------------|---------------------|---|----------------------------|
| | | | | | | |
| 871 | SEPTICEMIA OR SEVERE SEPSIS W/O MV >96 HOURS W MCC | | 4.85 | 11.04% | 23.03% | \$ 4,759.101 |
| 775 | VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES | | 2.23 | 0.00% | 2.16% | \$ 9,090.674 |
| 872 | SEPTICEMIA OR SEVERE SEPSIS W/O MV >96 HOURS W/O MCC | | 3.02 | 0.34% | 8.79% | \$ 4,389.157 |
| 794 | NEONATE W OTHER SIGNIFICANT PROBLEMS | | 2.50 | 0.00% | 1.26% | \$ 2,630.326 |
| 795 | NORMAL NEWBORN | | 1.97 | 0.00% | 0.85% | \$ 15,264.704 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE W MCC | | 3.53 | 1.72% | 27.19% | \$ 5,259.632 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | | 3.66 | 10.91% | 23.66% | \$ 5,481.416 |
| 378 | G.I. HEMORRHAGE W CC | | 2.78 | 0.95% | 20.41% | \$ 6,074.204 |
| 291 | HEART FAILURE & SHOCK W MCC | | 4.14 | 5.76% | 29.55% | \$ 4,491.617 |
| 470 | MAJOR HIP AND KNEE JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY W/O MCC | | 2.60 | 0.00% | 1.60% | \$ 5,976.391 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS W/O MCC | | 2.53 | 0.00% | 12.88% | \$ 5,563.925 |
| 603 | CELLULITIS W/O MCC | | 2.67 | 0.00% | 7.58% | \$ 4,506.074 |
| 193 | SIMPLE PNEUMONIA & PLEURISY W MCC | | 4.18 | 4.07% | 12.28% | \$ 4,949.598 |
| 766 | CESAREAN SECTION W/O CC/MCC | | 2.43 | 0.00% | 0.81% | \$ 8,689.417 |
| 682 | RENAL FAILURE W MCC | | 4.91 | 8.11% | 24.21% | \$ 5,569.325 |
| 683 | RENAL FAILURE W CC | | 3.05 | 2.78% | 9.71% | \$ 5,107.520 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS W MCC | | 3.83 | 0.00% | 11.88% | \$ 5,368.889 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS W/O MCC | | 2.84 | 0.00% | 14.42% | \$ 5,664.257 |
| 853 | INFECTIOUS & PARASITIC DISEASES W O.R. PROCEDURE W MCC | | 8.58 | 10.00% | 15.07% | \$ 4,336.848 |
| 247 | PERC CARDIOVASC PROC W DRUG-ELUTING STENT W/O MCC | | 2.03 | 0.00% | 7.95% | \$ 6,925.111 |
| 793 | FULL TERM NEONATE W MAJOR PROBLEMS | | 4.40 | 0.00% | 1.23% | \$ 1,588.454 |
| 765 | CESAREAN SECTION W CC/MCC | | 2.72 | 0.00% | 1.33% | \$ 6,289.190 |
| 071 | NONSPECIFIC CEREBROVASCULAR DISORDERS W CC | | 3.76 | 5.41% | 21.21% | \$ 6,400.402 |
| 641 | MISC DISORDERS OF NUTRITION,METABOLISM,FLUIDS/ELECTROLYTES W/O MCC | | 2.65 | 1.35% | 17.39% | \$ 5,130.009 |
| 194 | SIMPLE PNEUMONIA & PLEURISY W CC | | 2.63 | 0.00% | 4.41% | \$ 4,006.206 |
| 774 | VAGINAL DELIVERY W COMPLICATING DIAGNOSES | | 2.13 | 0.00% | 4.29% | \$ 6,513.135 |
| 177 | RESPIRATORY INFECTIONS & INFLAMMATIONS W MCC | | 5.71 | 8.70% | 19.35% | \$ 4,945.736 |
| 280 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE W MCC | | 4.00 | 0.00% | 17.24% | \$ 5,086.611 |
| 389 | G.I. OBSTRUCTION W CC | | 3.53 | 1.52% | 10.17% | \$ 5,304.149 |
| 638 | DIABETES W CC | | 2.36 | 0.00% | 11.29% | \$ 5,291.140 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE W CC | | 2.73 | 0.00% | 25.81% | \$ 5,270.306 |
| 441 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W MCC | | 4.90 | 6.56% | 32.00% | \$ 4,774.835 |
| 208 | RESPIRATORY SYSTEM DIAGNOSIS W VENTILATOR SUPPORT <=96 HOURS | | 5.03 | 44.07% | 37.04% | \$ 5,494.981 |
| 281 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE W CC | | 2.18 | 0.00% | 4.76% | \$ 5,856.065 |
| 287 | CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH W/O MCC | | 1.84 | 0.00% | 4.55% | \$ 6,102.172 |
| 292 | HEART FAILURE & SHOCK W CC | | 2.79 | 1.89% | 24.00% | \$ 4,782.641 |
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W/O CC/MCC | | 1.83 | 0.00% | 10.42% | \$ 5,784.855 |
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION W CC OR TPA IN 24 HRS | | 2.66 | 0.00% | 12.24% | \$ 4,767.704 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W CC | | 2.75 | 0.00% | 18.60% | \$ 6,254.156 |
| 698 | OTHER KIDNEY & URINARY TRACT DIAGNOSES W MCC | | 5.06 | 2.08% | 21.28% | \$ 5,067.949 |
| 442 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W CC | | 3.57 | 2.13% | 22.73% | \$ 5,373.847 |
| 313 | CHEST PAIN | | 2.13 | 0.00% | 8.70% | \$ 5,809.303 |
| 377 | G.I. HEMORRHAGE W MCC | | 4.50 | 8.70% | 20.51% | \$ 5,907.514 |
| 064 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION W MCC | | 4.23 | 18.60% | 12.50% | \$ 3,940.197 |
| 202 | BRONCHITIS & ASTHMA W CC/MCC | | 2.40 | 0.00% | 9.76% | \$ 4,375.283 |
| 854 | INFECTIOUS & PARASITIC DISEASES W O.R. PROCEDURE W CC | | 5.02 | 0.00% | 15.79% | \$ 4,209.482 |

Top 10

| | | | | | | |
|-----|--|--|-------|---------|--------|--------------|
| 640 | MISC DISORDERS OF NUTRITION,METABOLISM,FLUIDS/ELECTROLYTES W MCC | | 4.17 | 0.00% | 35.00% | \$ 5,832.501 |
| 481 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT W CC | | 5.23 | 0.00% | 5.00% | \$ 6,137.091 |
| 166 | OTHER RESP SYSTEM O.R. PROCEDURES W MCC | | 7.69 | 5.13% | 18.18% | \$ 5,218.466 |
| 282 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE W/O CC/MCC | | 1.87 | 0.00% | 5.88% | \$ 7,917.858 |
| 308 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W MCC | | 4.46 | 8.11% | 35.48% | \$ 6,381.198 |
| 167 | OTHER RESP SYSTEM O.R. PROCEDURES W CC | | 3.11 | 0.00% | 12.50% | \$ 4,620.389 |
| 637 | DIABETES W MCC | | 4.26 | 5.71% | 20.69% | \$ 5,407.871 |
| 329 | MAJOR SMALL & LARGE BOWEL PROCEDURES W MCC | | 15.21 | 11.76% | 29.63% | \$ 8,692.026 |
| 330 | MAJOR SMALL & LARGE BOWEL PROCEDURES W CC | | 7.24 | 0.00% | 21.21% | \$ 7,062.035 |
| 418 | LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W CC | | 3.12 | 0.00% | 8.82% | \$ 5,820.812 |
| 175 | PULMONARY EMBOLISM W MCC | | 4.12 | 6.06% | 16.13% | \$ 5,914.252 |
| 305 | HYPERTENSION W/O MCC | | 2.21 | 0.00% | 9.68% | \$ 6,192.886 |
| 312 | SYNCOPE & COLLAPSE | | 2.77 | 0.00% | 16.67% | \$ 5,822.854 |
| 439 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY W CC | | 3.47 | 0.00% | 10.34% | \$ 5,311.330 |
| 101 | SEIZURES W/O MCC | | 1.76 | 0.00% | 3.70% | \$ 3,689.064 |
| 419 | LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W/O CC/MCC | | 2.59 | 0.00% | 3.45% | \$ 6,127.030 |
| 070 | NONSPECIFIC CEREBROVASCULAR DISORDERS W MCC | | 4.93 | 7.14% | 29.17% | \$ 5,415.612 |
| 394 | OTHER DIGESTIVE SYSTEM DIAGNOSES W CC | | 2.96 | 0.00% | 19.23% | \$ 5,060.302 |
| 480 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT W MCC | | 6.81 | 3.70% | 12.00% | \$ 5,032.151 |
| 536 | FRACTURES OF HIP & PELVIS W/O MCC | | 2.85 | 0.00% | 0.00% | \$ 5,694.868 |
| 812 | RED BLOOD CELL DISORDERS W/O MCC | | 2.00 | 0.00% | 26.09% | \$ 5,714.645 |
| 372 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS W CC | | 3.77 | 0.00% | 33.33% | \$ 5,002.579 |
| 069 | TRANSIENT ISCHEMIA W/O THROMBOLYTIC | | 2.52 | 0.00% | 8.00% | \$ 6,046.182 |
| 195 | SIMPLE PNEUMONIA & PLEURISY W/O CC/MCC | | 2.04 | 0.00% | 4.17% | \$ 4,010.593 |
| 246 | PERCUTANEOUS CARDIOVASCULAR PROCEDURES W DRUG-ELUTING STENT W MCC OR 4+ ARTERIES OR ST | | 3.80 | 16.00% | 14.29% | \$ 6,242.407 |
| 314 | OTHER CIRCULATORY SYSTEM DIAGNOSES W MCC | | 4.68 | 4.00% | 31.82% | \$ 4,678.765 |
| 789 | NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | | 3.08 | 0.00% | 0.00% | \$ 2,969.406 |
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM W CC | | 3.17 | 0.00% | 16.67% | \$ 5,833.600 |
| 176 | PULMONARY EMBOLISM W/O MCC | | 1.83 | 4.17% | 9.09% | \$ 4,044.301 |
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE W/O CC/MCC | | 2.33 | 0.00% | 13.04% | \$ 5,701.250 |
| 390 | G.I. OBSTRUCTION W/O CC/MCC | | 2.46 | 0.00% | 0.00% | \$ 5,384.959 |
| 391 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS W MCC | | 3.42 | 0.00% | 31.82% | \$ 4,378.374 |
| 438 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY W MCC | | 6.08 | 0.00% | 13.64% | \$ 6,253.340 |
| 563 | FX, SPRN, STRN & DISL EXCEPT FEMUR, HIP, PELVIS & THIGH W/O MCC | | 2.38 | 0.00% | 5.00% | \$ 4,679.569 |
| 813 | COAGULATION DISORDERS | | 1.92 | 8.33% | 9.09% | \$ 7,394.907 |
| 440 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY W/O CC/MCC | | 2.61 | 0.00% | 4.35% | \$ 5,490.893 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION W/O CC/MCC | | 1.82 | 0.00% | 4.76% | \$ 5,405.596 |
| 100 | SEIZURES W MCC | | 5.91 | 0.00% | 11.76% | \$ 5,593.548 |
| 417 | LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W MCC | | 5.41 | 4.55% | 14.29% | \$ 5,566.103 |
| 469 | MAJOR HIP AND KNEE JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY W MCC OR TOTAL A | | 5.95 | 0.00% | 0.00% | \$ 4,676.664 |
| 639 | DIABETES W/O CC/MCC | | 1.91 | 0.00% | 5.26% | \$ 5,514.987 |
| 203 | BRONCHITIS & ASTHMA W/O CC/MCC | | 1.76 | 0.00% | 0.00% | \$ 3,747.359 |
| 433 | CIRRHOSIS & ALCOHOLIC HEPATITIS W CC | | 3.29 | 0.00% | 40.00% | \$ 5,528.453 |
| 580 | OTHER SKIN, SUBCUT TISS & BREAST PROC W CC | | 4.48 | 0.00% | 4.76% | \$ 5,425.229 |
| 315 | OTHER CIRCULATORY SYSTEM DIAGNOSES W CC | | 2.90 | 0.00% | 25.00% | \$ 5,329.986 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS W MCC | | 6.25 | 0.00% | 35.00% | \$ 5,379.291 |
| 445 | DISORDERS OF THE BILIARY TRACT W CC | | 2.55 | 0.00% | 0.00% | \$ 5,055.666 |
| 300 | PERIPHERAL VASCULAR DISORDERS W CC | | 2.68 | 5.26% | 23.53% | \$ 4,852.658 |
| 694 | URINARY STONES W/O ESW LITHOTRIPSY W/O MCC | | 1.95 | 0.00% | 0.00% | \$ 5,856.508 |
| 743 | UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC/MCC | | 1.95 | 0.00% | 0.00% | \$ 6,792.976 |
| 283 | ACUTE MYOCARDIAL INFARCTION, EXPIRED W MCC | | 5.67 | 100.00% | | \$ 6,569.542 |
| 303 | ATHEROSCLEROSIS W/O MCC | | 1.83 | 0.00% | 28.57% | \$ 5,713.895 |
| 375 | DIGESTIVE MALIGNANCY W CC | | 4.56 | 0.00% | 37.50% | \$ 7,611.386 |
| 379 | G.I. HEMORRHAGE W/O CC/MCC | | 1.72 | 0.00% | 17.65% | \$ 5,983.556 |
| 602 | CELLULITIS W MCC | | 4.78 | 0.00% | 22.22% | \$ 5,203.455 |

| | | | | | | |
|-----|---|--|------|-------|--------|--------------|
| 699 | OTHER KIDNEY & URINARY TRACT DIAGNOSES W CC | | 3.33 | 0.00% | 11.11% | \$ 5,091.734 |
|-----|---|--|------|-------|--------|--------------|

Higher Volume Psychiatric/Substance Abuse Related DRGs

| | | | | | | |
|-----|---|--|------|-------|--------|--------------|
| 917 | POISONING & TOXIC EFFECTS OF DRUGS W MCC | | 3.30 | 2.33% | 10.00% | \$ 4,682.580 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE W/O REHABILITATION THERAPY W/O MCC | | 2.34 | 0.00% | 15.00% | \$ 4,585.866 |
| 918 | POISONING & TOXIC EFFECTS OF DRUGS W/O MCC | | 2.15 | 0.00% | 13.64% | \$ 4,873.521 |