

## Johnson City Medical Center

| MS-DRG (ICD-10) | MS-DRG Description                       | Geo LOS Observed | Mortality Observed | Readmissions Observed (HWR) | Geo Cost/Case Observed |
|-----------------|--|------------------|--------------------|-----------------------------|------------------------|
| 871             | SEPTICEMIA/SEV SEPSIS WO MV>96 HR W MCC  | 5.07             | 16.71%             | 15.48%                      | \$12,029               |
| 291             | HRT FAILURE AND SHOCK W MCC              | 4.02             | 2.88%              | 23.41%                      | \$7,885                |
| 795             | NORMAL NEWBORN                           | 1.41             | 0.00%              |                             | \$481                  |
| 794             | NEONATE W OTHER SIGNIFICANT PROBLEMS     | 2.27             | 0.00%              | 0.00%                       | \$1,931                |
| 193             | SIMPLE PNEUMONIA AND PLEURISY W MCC      | 4.30             | 2.54%              | 14.59%                      | \$9,054                |
| 392             | ESOPHTS,GASTREN&MISC DGSTV DISORD WO MCC | 2.10             | 0.00%              | 8.60%                       | \$4,140                |
| 807             | VAGINAL DELIVERY WO STERZN/D&C WO CC/MCC | 1.73             | 0.00%              | 0.60%                       | \$7,598                |
| 247             | PERC CV PROC W DRUG-ELUTING STENT WO MCC | 1.86             | 0.54%              | 8.89%                       | \$12,220               |
| 177             | RESPIRATORY INFCT&INFLAMMATIONS W MCC    | 5.30             | 5.78%              | 16.50%                      | \$10,918               |
| 280             | ACUTE MYCARD INFRC, DISCH ALIVE W MCC    | 3.91             | 0.00%              | 18.31%                      | \$8,924                |
| 641             | MISC DISORD NUTR FLUIDS&ELELYT WO MCC    | 2.16             | 0.68%              | 11.43%                      | \$4,052                |
| 189             | PULMONARY EDEMA AND RESPIRATORY FAILURE  | 3.41             | 5.50%              | 12.36%                      | \$7,847                |
| 603             | CELLULITIS WO MCC                        | 2.60             | 0.00%              | 8.11%                       | \$4,669                |
| 793             | FULL TERM NEONATE W MAJOR PROBLEMS       | 5.39             | 0.00%              | 5.56%                       | \$7,862                |
| 246             | PERC CV PROC W DRG-ELUT STENT W MCC OR4+ | 3.51             | 6.34%              | 12.55%                      | \$18,239               |
| 65              | INTRCRN HEMRG/CEREB INFRC W CC/TPA 24 HR | 3.03             | 2.66%              | 11.29%                      | \$7,037                |
| 872             | SEPTICEMIA/SEV SEPSIS WO MV>96 HR WO MCC | 3.52             | 1.54%              | 10.74%                      | \$6,818                |
| 64              | INTRCRN HEMRG OR CEREBRAL INFRC W MCC    | 5.94             | 20.18%             | 10.99%                      | \$14,136               |
| 853             | INFCT&PARASITIC DZ W O.R. PROC W MCC     | 11.60            | 15.74%             | 18.33%                      | \$35,086               |
| 806             | VAGINAL DELIVERY WO STERZN/D&C W CC      | 1.88             | 0.00%              | 1.14%                       | \$7,858                |
| 378             | G.I. HEMRG W CC                          | 2.89             | 0.46%              | 7.11%                       | \$6,712                |
| 790             | EXTREME IMMAT/RESP DISTRESS SYNDROME     | 18.61            | 0.00%              | 0.00%                       | \$34,714               |
| 309             | CARD ARRHYTHMIA&CONDUCTION DISORD W CC   | 1.96             | 0.48%              | 12.94%                      | \$4,291                |
| 203             | BRONCHITIS AND ASTHMA WO CC/MCC          | 1.36             | 0.00%              | 3.85%                       | \$2,402                |
| 481             | HIP&FEMUR PROC EXCP MAJOR JOINT W CC     | 4.60             | 0.48%              | 6.70%                       | \$19,204               |
| 287             | CIRCULATORY DISORD EXCEPT AMI            | 1.94             | 0.00%              | 7.14%                       | \$7,082                |
| 493             | LOWER EXTRM AND HUMERUS PROC EXCEPT HIP  | 3.96             | 1.02%              | 5.70%                       | \$19,800               |
| 682             | RENAL FAILURE W MCC                      | 5.13             | 8.99%              | 20.50%                      | \$9,500                |
| 552             | MEDICAL BACK PROBLEMS WO MCC             | 2.52             | 0.55%              | 4.68%                       | \$5,806                |
| 638             | DIABETES W CC                            | 2.90             | 0.55%              | 10.12%                      | \$6,317                |
| 101             | SEIZURES WO MCC                          | 1.91             | 0.56%              | 5.99%                       | \$4,356                |
| 683             | RENAL FAILURE W CC                       | 3.31             | 1.18%              | 14.91%                      | \$5,940                |
| 310             | CARD ARRHYTHMIA&CONDCT DISORD WO CC/MCC  | 1.74             | 0.00%              | 2.50%                       | \$3,842                |
| 690             | KIDNEY&URINARY TRACT INFCT WO MCC        | 2.85             | 0.00%              | 13.77%                      | \$5,067                |
| 312             | SYNCOPE AND COLLAPSE                     | 2.47             | 0.00%              | 7.64%                       | \$5,866                |
| 281             | ACUTE MYCARD INFRC, DISCH ALIVE W CC     | 2.59             | 0.00%              | 10.26%                      | \$6,631                |
| 202             | BRONCHITIS AND ASTHMA W CC/MCC           | 2.33             | 0.00%              | 3.82%                       | \$5,078                |
| 698             | OTHER KIDNEY&URINARY TRACT DX W MCC      | 5.71             | 5.23%              | 28.17%                      | \$11,392               |
| 788             | CESAREAN SECTION WO STERZN WO CC/MCC     | 2.88             | 0.00%              | 2.86%                       | \$9,623                |
| 69              | TRANSIENT ISCHEMIA WO THROMBOLYTIC       | 1.83             | 0.00%              | 7.43%                       | \$5,235                |
| 640             | MISC DISORD NUTR FLUIDS&ELELYT W MCC     | 4.17             | 4.67%              | 26.67%                      | \$8,394                |
| 208             | RESP SYS DX W VENT SUPPORT <=96 HOURS    | 4.14             | 27.89%             | 14.56%                      | \$14,444               |
| 522             | HIP REPLACEMENT W PDX OF HIP FX WO MCC   | 4.42             | 0.00%              | 8.97%                       | \$17,189               |
| 308             | CARD ARRHYTHMIA&CONDUCTION DISORD W MCC  | 4.00             | 7.86%              | 17.60%                      | \$7,966                |
| 190             | CHRONIC OBSTRUCTIVE PULMONARY DZ W MCC   | 3.74             | 1.42%              | 13.33%                      | \$7,603                |
| 377             | G.I. HEMRG W MCC                         | 4.80             | 5.07%              | 22.48%                      | \$11,214               |
| 918             | POISONING&TOXIC EFFECTS OF DRUGS WO MCC  | 1.74             | 0.00%              | 0.00%                       | \$4,355                |
| 787             | CESAREAN SECTION WO STERILIZATION W CC   | 3.03             | 0.00%              | 0.00%                       | \$9,993                |
| 689             | KIDNEY&URINARY TRACT INFCT W MCC         | 4.38             | 3.94%              | 13.93%                      | \$8,111                |
| 194             | SIMPLE PNEUMONIA AND PLEURISY W CC       | 2.62             | 0.00%              | 12.90%                      | \$5,272                |
| 39              | EXTRACRANIAL PROC WO CC/MCC              | 1.02             | 0.00%              | 2.44%                       | \$8,279                |
| 100             | SEIZURES W MCC                           | 3.80             | 2.42%              | 12.28%                      | \$10,161               |
| 812             | RED BLOOD CELL DISORD WO MCC             | 2.08             | 0.00%              | 17.70%                      | \$5,206                |
| 494             | LOWER EXTRM AND HUMERUS PROC EXCEPT HIP  | 2.09             | 0.00%              | 2.48%                       | \$14,608               |
| 917             | POISONING&TOXIC EFFECTS OF DRUGS W MCC   | 2.90             | 4.31%              | 2.86%                       | \$8,028                |
| 480             | HIP&FEMUR PROC EXCP MAJOR JOINT W MCC    | 7.22             | 6.03%              | 6.48%                       | \$25,390               |
| 23              | CRANIOTOMY W MAJ DEV IMPLNT W MCC        | 7.25             | 27.43%             | 6.25%                       | \$38,471               |
| 439             | DISORD OF PANCREAS EXCEPT MALIG W CC     | 3.17             | 0.00%              | 10.53%                      | \$5,641                |
| 286             | CIRCULATORY DISORD EXCEPT AMI            | 4.51             | 1.94%              | 19.00%                      | \$11,105               |
| 791             | PREMATURITY W MAJOR PROBLEMS             | 8.44             | 0.00%              | 16.67%                      | \$10,306               |
| 948             | SIGNS AND SYMPTOMS WO MCC                | 2.12             | 1.02%              | 18.28%                      | \$4,606                |
| 460             | SPINAL FUSION EXCEPT CERVICAL WO MCC     | 3.43             | 0.00%              | 3.03%                       | \$28,731               |
| 164             | MAJOR CHEST PROC W CC                    | 3.49             | 0.00%              | 6.12%                       | \$19,828               |
| 639             | DIABETES WO CC/MCC                       | 1.91             | 0.00%              | 2.15%                       | \$3,976                |
| 897             | ALC,DRUG ABUSE/DEP WO REHAB THAPY WO MCC | 3.20             | 0.00%              | 7.22%                       | \$6,092                |

Top 10

|     |  |       |        |        |          |
|-----|--|-------|--------|--------|----------|
| 637 | DIABETES W MCC                           | 3.72  | 1.04%  | 21.18% | \$9,222  |
| 470 | MAJ HIP/KN REPL/REATCH LO EXTRM WO MCC   | 2.12  | 0.00%  | 4.26%  | \$15,740 |
| 313 | CHEST PAIN                               | 1.56  | 0.00%  | 7.32%  | \$3,877  |
| 981 | XTENS O.R. PROC UNRELATED TO PDX W MCC   | 8.19  | 15.38% | 20.00% | \$29,460 |
| 236 | CORONARY BYPASS WO CARDIAC CATH WO MCC   | 4.65  | 1.10%  | 11.11% | \$26,626 |
| 813 | COAGULATION DISORD                       | 3.02  | 7.78%  | 18.07% | \$6,177  |
| 563 | FX STRN&DISLOC EXCP FEMR HIP PELV WO MCC | 2.71  | 0.00%  | 3.49%  | \$6,265  |
| 394 | OTHER DIGESTIVE SYS DIAGNOSES W CC       | 2.60  | 1.18%  | 13.92% | \$5,950  |
| 870 | SEPTICEMIA/SEV SEPSIS W MV >96 HOURS     | 11.90 | 55.42% | 16.22% | \$42,299 |
| 153 | OTITIS MEDIA AND URI WO MCC              | 1.56  | 0.00%  | 12.20% | \$2,811  |
| 621 | O.R. PROC FOR OBESITY WO CC/MCC          | 1.70  | 0.00%  | 2.44%  | \$15,195 |
| 274 | PERCUTANEOUS INTRACARDIAC PROC WO MCC    | 1.38  | 0.00%  | 7.59%  | \$19,309 |
| 343 | APPENDECTOMY WO COMP PRIN DX WO CC/MCC   | 1.15  | 0.00%  | 0.00%  | \$9,238  |
| 432 | CIRRHOSIS AND ALCOHOLIC HEPATITIS W MCC  | 5.53  | 9.59%  | 29.03% | \$11,211 |
| 66  | INTRCRN HEMRG OR CEREB INFRC WO CC/MCC   | 1.93  | 6.67%  | 7.69%  | \$4,854  |
| 253 | OTHER VASC PROC W CC                     | 2.73  | 0.00%  | 10.96% | \$14,908 |
| 847 | CHEMOTHERAPY WO AC LEUKEMIA AS SDX W CC  | 3.70  | 0.00%  |        | \$5,800  |
| 25  | CRANIOTOMY/ENDOVASC INTRCRN PROC W MCC   | 8.89  | 9.33%  | 15.52% | \$36,105 |
| 175 | PULM EMBLSM W MCC OR ACUTE COR PULMONALE | 3.91  | 2.67%  | 6.94%  | \$9,590  |
| 792 | PREMATURITY WO MAJOR PROBLEMS            | 5.47  | 0.00%  |        | \$5,561  |
| 178 | RESPIRATORY INFCT&INFLAMMATIONS W CC     | 3.14  | 0.00%  | 4.29%  | \$5,761  |
| 252 | OTHER VASC PROC W MCC                    | 4.08  | 10.96% | 17.46% | \$19,292 |
| 267 | ENDOVASC CARD VLV REPL&SUPMT PROC WO MCC | 1.02  | 0.00%  | 6.85%  | \$42,635 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS  | 2.02  | 82.86% | 0.00%  | \$1,562  |
| 270 | OTHER MAJOR CARDIOVASC PROC W MCC        | 5.44  | 8.82%  | 16.67% | \$27,767 |
| 200 | PNEUMOTHORAX W CC                        | 3.08  | 0.00%  | 5.88%  | \$8,132  |
| 391 | ESOPHTS,GASTREN&MISC DGSTV DISORD W MCC  | 3.83  | 0.00%  | 14.93% | \$7,497  |
| 833 | OTH ANTEPARTUM DX WO O.R. PROC WO CC/MCC | 1.81  | 0.00%  |        | \$3,360  |
| 86  | TRAUMATIC STUPOR&COMA, <1 HR W CC        | 2.47  | 0.00%  | 9.23%  | \$8,073  |
| 243 | PERMANENT CARDIAC PACEMAKER IMPLNT W CC  | 3.05  | 0.00%  | 8.96%  | \$14,853 |
| 305 | HYPERTENSION WO MCC                      | 2.04  | 0.00%  | 7.94%  | \$4,914  |
| 832 | OTHER ANTEPARTUM DX WO O.R. PROC W CC    | 1.83  | 0.00%  |        | \$3,396  |
| 92  | OTHER DISORD OF NERVOUS SYS W CC         | 2.66  | 0.00%  | 6.45%  | \$5,996  |
| 103 | HEADACHES WO MCC                         | 1.97  | 0.00%  | 4.76%  | \$5,121  |
| 699 | OTHER KIDNEY&URINARY TRACT DX W CC       | 3.62  | 0.00%  | 19.35% | \$6,435  |
| 271 | OTHER MAJOR CARDIOVASC PROC W CC         | 3.44  | 1.59%  | 12.90% | \$22,484 |
| 300 | PERIPHERAL VASC DISORD W CC              | 3.03  | 0.00%  | 16.95% | \$6,494  |
| 956 | LMB REATCH,HP&FEMUR PROC MULT SIGFN TRAM | 7.50  | 4.76%  | 8.33%  | \$33,947 |
| 83  | TRAUMATIC STUPOR&COMA, >1 HR W CC        | 3.39  | 6.45%  | 8.62%  | \$10,181 |
| 805 | VAGINAL DELIVERY WO STERZN/D&C W MCC     | 2.67  | 0.00%  | 4.17%  | \$9,640  |
| 314 | OTHER CIRCULATORY SYS DIAGNOSES W MCC    | 3.87  | 5.00%  | 14.81% | \$9,617  |
| 282 | ACUTE MYCARD INFRC DISCH ALIVE WO CC/MCC | 1.45  | 0.00%  | 6.90%  | \$4,965  |
| 483 | MAJ JNT/LIMB REATTACHMENT PROC UP EXTRM  | 1.76  | 0.00%  | 10.00% | \$18,614 |
| 82  | TRAUMATIC STUPOR&COMA, >1 HR W MCC       | 4.85  | 32.20% | 5.00%  | \$15,093 |
| 184 | MAJOR CHEST TRAUMA W CC                  | 3.07  | 0.00%  | 3.39%  | \$8,318  |
| 982 | XTENS O.R. PROC UNRELATED TO PDX W CC    | 4.30  | 0.00%  | 10.71% | \$17,890 |
| 880 | AC ADJUSTMENT REACTION&PSYCHOSOCIAL DYSF | 3.15  | 1.75%  | 0.00%  | \$6,235  |
| 87  | TRAUMATIC STUPOR&COMA, <1 HR WO CC/MCC   | 1.46  | 0.00%  | 1.85%  | \$5,084  |
| 482 | HIP&FEMUR PROC EXCP MAJ JOINT WO CC/MCC  | 2.47  | 0.00%  | 0.00%  | \$14,986 |
| 419 | LAPAROSCOPIC CHOLE WO C.D.E. WO CC/MCC   | 1.98  | 0.00%  | 1.82%  | \$12,017 |
| 885 | PSYCHOSES                                | 4.74  | 0.00%  |        | \$6,960  |
| 195 | SIMPLE PNEUMONIA AND PLEURISY WO CC/MCC  | 1.52  | 0.00%  | 1.92%  | \$2,723  |
| 303 | ATHEROSCLEROSIS WO MCC                   | 1.69  | 0.00%  | 11.32% | \$4,113  |
| 389 | G.I. OBSTRUCTION W CC                    | 2.51  | 0.00%  | 11.54% | \$4,325  |
| 784 | CESAREAN SECTION W STERILIZATION W CC    | 2.58  | 0.00%  | 0.00%  | \$9,695  |
| 786 | CESAREAN SECTION WO STERILIZATION W MCC  | 3.89  | 0.00%  | 9.09%  | \$12,008 |
| 176 | PULMONARY EMBOLISM WO MCC                | 2.11  | 0.00%  | 5.66%  | \$5,876  |
| 242 | PERMANENT CARDIAC PACEMAKER IMPLNT W MCC | 5.94  | 1.89%  | 7.69%  | \$20,384 |
| 418 | LAPAROSCOPIC CHOLE WO C.D.E. W CC        | 3.72  | 0.00%  | 3.77%  | \$15,334 |
| 492 | LOWER EXTRM AND HUMERUS PROC EXCEPT HIP  | 6.06  | 3.77%  | 14.00% | \$26,654 |
| 234 | CORONARY BYPASS W CARDIAC CATH WO MCC    | 8.37  | 0.00%  | 21.15% | \$37,157 |
| 269 | AORT HRT ASST PROC EXCP PULS BLLN WO MCC | 1.31  | 0.00%  | 0.00%  | \$28,641 |
| 854 | INFCT&PARASITIC DZ W O.R. PROC W CC      | 5.69  | 0.00%  | 7.84%  | \$17,195 |
| 163 | MAJOR CHEST PROC W MCC                   | 4.63  | 4.00%  | 10.64% | \$24,251 |
| 467 | REVIS OF HIP OR KNEE REPLACEMENT W CC    | 3.25  | 0.00%  | 10.00% | \$23,074 |
| 393 | OTHER DIGESTIVE SYS DIAGNOSES W MCC      | 5.02  | 6.12%  | 10.87% | \$9,647  |
| 472 | CERVICAL SPINAL FUSION W CC              | 4.02  | 0.00%  | 4.08%  | \$27,769 |
| 521 | HIP REPLACEMENT W PDX OF HIP FX W MCC    | 7.62  | 4.08%  | 8.51%  | \$23,263 |
| 811 | RED BLOOD CELL DISORD W MCC              | 4.22  | 4.26%  | 17.78% | \$9,359  |

|     |  |       |         |        |          |
|-----|--|-------|---------|--------|----------|
| 536 | FRACTURES OF HIP AND PELVIS WO MCC       | 2.49  | 0.00%   | 11.63% | \$5,203  |
| 74  | CRANIAL&PERIPHERAL NERVE DISORD WO MCC   | 2.87  | 0.00%   | 13.33% | \$6,263  |
| 206 | OTHER RESPIRATORY SYS DIAGNOSES WO MCC   | 1.51  | 0.00%   | 6.52%  | \$3,007  |
| 435 | MALIG OF HEPBIL SYS OR PANCREAS W MCC    | 6.47  | 13.04%  |        | \$13,449 |
| 957 | OTHER O.R. PROC MULT SIGFN TRAM W MCC    | 11.32 | 19.57%  | 10.81% | \$50,485 |
| 3   | ECMO/TRCHOS W MV >96 HOURS/PDX EXCP FACE | 26.66 | 11.90%  | 18.92% | \$97,932 |
| 254 | OTHER VASC PROC WO CC/MCC                | 1.26  | 0.00%   | 11.11% | \$10,422 |
| 315 | OTHER CIRCULATORY SYS DIAGNOSES W CC     | 2.76  | 0.00%   | 12.20% | \$6,700  |
| 551 | MEDICAL BACK PROBLEMS W MCC              | 4.49  | 11.63%  | 5.56%  | \$10,664 |
| 207 | RESP SYS DX W VENT SUPPORT >96 HOURS     | 12.34 | 51.16%  | 4.76%  | \$41,324 |
| 433 | CIRRHOSIS AND ALCOHOLIC HEPATITIS W CC   | 3.62  | 4.55%   | 28.21% | \$6,299  |
| 329 | MAJOR SMALL AND LARGE BOWEL PROC W MCC   | 10.52 | 9.30%   | 12.82% | \$32,670 |
| 438 | DISORD OF PANCREAS EXCEPT MALIG W MCC    | 5.51  | 4.76%   | 5.13%  | \$11,041 |
| 442 | DISORD LIVER EXCP MALIG,CIRR,HEP W CC    | 3.36  | 2.38%   | 17.50% | \$7,014  |
| 516 | OTHER MS SYS&CONN TISSUE O.R. PROC W CC  | 5.33  | 0.00%   | 11.90% | \$18,313 |
| 38  | EXTRACRANIAL PROC W CC                   | 1.19  | 0.00%   | 11.90% | \$9,453  |
| 406 | PANCREAS, LIVER AND SHUNT PROC W CC      | 3.14  | 0.00%   | 14.29% | \$17,943 |
| 57  | DEGENERATIVE NERVOUS SYS DISORD WO MCC   | 4.15  | 2.44%   | 12.50% | \$7,551  |
| 299 | PERIPHERAL VASC DISORD W MCC             | 4.03  | 0.00%   | 10.00% | \$8,964  |
| 395 | OTHER DIGESTIVE SYS DIAGNOSES WO CC/MCC  | 1.45  | 0.00%   | 12.20% | \$4,040  |
| 809 | MAJ HEMAT/IMMLOG EXCP SICK-CL W CC       | 2.65  | 0.00%   | 23.08% | \$6,283  |
| 440 | DISORD PANCREAS EXCEPT MALIG WO CC/MCC   | 2.40  | 0.00%   | 8.33%  | \$4,333  |
| 445 | DISORD OF THE BILIARY TRACT W CC         | 2.95  | 0.00%   | 14.29% | \$6,877  |
| 220 | CARD VALVE&MAJ PROC WO CARD CATH W CC    | 4.64  | 2.56%   | 18.42% | \$35,988 |
| 863 | POSTOP AND POSTTRM INFCT WO MCC          | 3.48  | 0.00%   | 13.16% | \$6,656  |
| 908 | OTHER O.R. PROC FOR INJURIES W CC        | 3.33  | 0.00%   | 2.70%  | \$15,434 |
| 93  | OTHER DISORD OF NERVOUS SYS WO CC/MCC    | 1.96  | 0.00%   | 11.11% | \$5,158  |
| 283 | ACUTE MYCARD INFARCTION, EXPIRED W MCC   | 2.39  | 100.00% |        | \$8,783  |
| 441 | DISORD LIVER EXCP MALIG,CIRR,HEP W MCC   | 4.49  | 13.89%  | 12.90% | \$9,620  |
| 862 | POSTOP AND POSTTRM INFCT W MCC           | 6.27  | 2.70%   | 13.89% | \$12,574 |
| 54  | NERVOUS SYS NEOPLASMS W MCC              | 4.58  | 13.89%  | 25.00% | \$9,981  |
| 84  | TRAUMATIC STUPOR&COMA, >1 HR WO CC/MCC   | 1.72  | 0.00%   | 2.86%  | \$6,073  |
| 785 | CESAREAN SECTION W STERZN WO CC/MCC      | 2.77  | 0.00%   | 2.78%  | \$10,007 |
| 789 | NEONATES, DIED/XFER ANOTH AC CR FACILITY | 8.31  | 100.00% |        | \$17,747 |
| 958 | OTHER O.R. PROC FOR MULT SIGFN TRAM W CC | 8.72  | 5.56%   | 6.25%  | \$33,553 |
| 4   | TRCHOS W MV >96 HOURS OR PDX EXCEPT FACE | 20.72 | 17.65%  | 3.85%  | \$62,643 |
| 70  | NONSPECIFIC CEREBROVASC DISORD W MCC     | 5.02  | 11.43%  | 6.90%  | \$9,495  |
| 71  | NONSPECIFIC CEREBROVASC DISORD W CC      | 3.65  | 2.86%   | 24.24% | \$6,388  |
| 244 | PERMANENT CARD PACER IMPLNT WO CC/MCC    | 2.21  | 0.00%   | 5.71%  | \$12,611 |
| 580 | OTHER SKIN, SUBC TISSUE&BREAST PROC W CC | 3.55  | 0.00%   | 12.12% | \$12,613 |
| 896 | ALC,DRUG ABUSE/DEP WO REHAB THAPY W MCC  | 5.09  | 0.00%   | 2.86%  | \$10,132 |
| 987 | NON-XTENS O.R. PROC UNREL TO PDX W MCC   | 9.49  | 11.43%  | 20.00% | \$26,521 |
| 519 | BACK&NECK PROC EXCEPT SPINAL FUSION W CC | 3.62  | 0.00%   | 6.06%  | \$16,914 |
| 602 | CELLULITIS W MCC                         | 4.44  | 0.00%   | 23.53% | \$7,318  |
| 866 | VIRAL ILLNESS WO MCC                     | 1.70  | 0.00%   | 3.23%  | \$3,314  |
| 91  | OTHER DISORD OF NERVOUS SYS W MCC        | 4.03  | 6.25%   | 6.90%  | \$9,394  |
| 226 | CARD DEFIB WO CARDIAC CATH W MCC         | 6.11  | 6.06%   | 29.03% | \$35,367 |
| 272 | OTHER MAJOR CARDIOVASC PROC WO CC/MCC    | 1.84  | 0.00%   | 3.13%  | \$16,838 |
| 330 | MAJOR SMALL AND LARGE BOWEL PROC W CC    | 5.74  | 3.03%   | 18.75% | \$20,079 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DZ W CC    | 2.59  | 0.00%   | 7.14%  | \$5,449  |
| 250 | PERC CV PROC WO CORONARY ART STENT W MCC | 3.19  | 15.63%  | 29.17% | \$15,164 |
| 776 | POSTPARTUM&POST ABORTION DX WO O.R. PROC | 1.93  | 0.00%   |        | \$3,607  |
| 907 | OTHER O.R. PROC FOR INJURIES W MCC       | 5.86  | 6.25%   | 13.79% | \$20,115 |
| 379 | G.I. HEMRG WO CC/MCC                     | 1.63  | 0.00%   | 10.71% | \$3,869  |
| 605 | TRAUMA TO SKIN, SUBC TISS&BREAST WO MCC  | 1.94  | 0.00%   | 0.00%  | \$5,391  |
| 768 | VAG DEL W O.R. PROC EXCP STERIL &/OR D&C | 2.08  | 0.00%   | 3.70%  | \$9,449  |
| 919 | COMPLICATIONS OF TREATMENT W MCC         | 3.38  | 6.45%   | 7.41%  | \$9,472  |
| 56  | DEGENERATIVE NERVOUS SYS DISORD W MCC    | 5.76  | 3.33%   | 13.79% | \$10,744 |
| 199 | PNEUMOTHORAX W MCC                       | 5.35  | 13.33%  | 0.00%  | \$12,016 |
| 405 | PANCREAS, LIVER AND SHUNT PROC W MCC     | 8.84  | 13.33%  | 15.38% | \$34,081 |
| 673 | OTHER KIDNEY&URINARY TRACT PROC W MCC    | 8.64  | 0.00%   | 32.14% | \$21,606 |
| 36  | CAROTID ARTERY STENT PROC WO CC/MCC      | 1.06  | 0.00%   | 3.45%  | \$13,895 |
| 204 | RESPIRATORY SIGNS AND SYMPTOMS           | 1.69  | 0.00%   | 11.11% | \$4,294  |
| 417 | LAPAROSCOPIC CHOLE WO C.D.E. W MCC       | 5.13  | 0.00%   | 20.69% | \$19,010 |
| 446 | DISORD OF THE BILIARY TRACT WO CC/MCC    | 2.50  | 0.00%   | 10.34% | \$5,569  |
| 856 | POSTOP OR POSTTRM INFCT W O.R. PROC WMCC | 10.74 | 0.00%   | 25.00% | \$28,720 |
| 85  | TRAUMATIC STUPOR&COMA, <1 HR W MCC       | 5.28  | 7.41%   | 8.00%  | \$13,473 |
| 180 | RESPIRATORY NEOPLASMS W MCC              | 5.38  | 7.14%   | 0.00%  | \$11,919 |
| 229 | OTHER CARDIOTHORACIC PROC WO MCC         | 1.93  | 0.00%   | 10.71% | \$18,534 |

|     |   |       |        |        |          |
|-----|---|-------|--------|--------|----------|
| 326 | STOMACH, ESOPHAGEAL&DUODENAL PROC W MCC   | 10.28 | 3.57%  | 15.38% | \$32,224 |
| 386 | INFLAMMATORY BOWEL DISEASE W CC           | 4.13  | 0.00%  | 19.23% | \$6,935  |
| 511 | SHOULDER EXCEPT MAJOR JOINT PROC W CC     | 2.61  | 0.00%  | 3.57%  | \$17,057 |
| 512 | SHLDR EXCEPT MAJOR JOINT PROC WO CC/MCC   | 1.43  | 0.00%  | 0.00%  | \$11,776 |
| 920 | COMPLICATIONS OF TREATMENT W CC           | 2.71  | 0.00%  | 14.29% | \$6,361  |
| 158 | DENTAL AND ORAL DISEASES W CC             | 2.05  | 0.00%  | 15.38% | \$4,485  |
| 165 | MAJOR CHEST PROC WO CC/MCC                | 2.00  | 0.00%  | 3.70%  | \$15,659 |
| 301 | PERIPHERAL VASC DISORD WO CC/MCC          | 1.91  | 0.00%  | 4.17%  | \$4,297  |
| 464 | WND DEBRID/SKIN GRAFT EXCP HND W CC       | 5.31  | 0.00%  | 7.69%  | \$22,619 |
| 857 | POSTOP OR POSTTRM INFCT W O.R. PROC W CC  | 5.28  | 0.00%  | 11.11% | \$13,116 |
| 964 | OTHER MULTIPLE SIGNIFICANT TRAUMA W CC    | 4.11  | 3.70%  | 3.85%  | \$10,927 |
| 166 | OTHER RESPIRATORY SYS O.R. PROC W MCC     | 7.33  | 7.69%  | 11.11% | \$22,007 |
| 357 | OTHER DIGESTIVE SYS O.R. PROC W CC        | 5.75  | 0.00%  | 11.54% | \$21,008 |
| 620 | O.R. PROC FOR OBESITY W CC                | 2.44  | 0.00%  | 7.69%  | \$16,875 |
| 884 | ORGIC DISTURBANCES&INTELLECTUAL DISABIL   | 6.32  | 0.00%  | 4.17%  | \$9,372  |
| 68  | NONSPEC CVA&PRECEREB OCCLS WOINFR W MCC   | 1.73  | 0.00%  | 8.33%  | \$5,693  |
| 179 | RESPIRATORY INFCT&INFLM WO CC/MCC         | 1.87  | 0.00%  | 4.17%  | \$4,308  |
| 356 | OTHER DIGESTIVE SYS O.R. PROC W MCC       | 6.84  | 8.00%  | 27.27% | \$27,152 |
| 556 | SIGNS & SYMP MS SYS & CONN TISS WO MCC    | 2.02  | 0.00%  | 18.18% | \$4,236  |
| 562 | FX STRN&DISLOC EXCP FEMR HIP PELV W MCC   | 3.47  | 0.00%  | 8.33%  | \$7,800  |
| 149 | DYSEQUILIBRIUM                            | 2.12  | 0.00%  | 0.00%  | \$5,490  |
| 340 | APPENDECTOMY W COMP PRIN DX WO CC/MCC     | 2.65  | 0.00%  | 8.33%  | \$10,666 |
| 501 | SOFT TISSUE PROC W CC                     | 3.61  | 0.00%  | 16.67% | \$12,350 |
| 543 | PATH FX & MS & CONN TISS MALIG W CC       | 3.73  | 0.00%  | 14.29% | \$7,630  |
| 831 | OTHER ANTEPARTUM DX WO O.R. PROC W MCC    | 3.40  | 0.00%  |        | \$5,690  |
| 841 | LYMPHOMA AND NON-ACUTE LEUKEMIA W CC      | 4.07  | 4.76%  |        | \$10,156 |
| 185 | MAJOR CHEST TRAUMA WO CC/MCC              | 1.55  | 0.00%  | 0.00%  | \$5,233  |
| 388 | G.I. OBSTRUCTION W MCC                    | 4.68  | 0.00%  | 4.55%  | \$9,461  |
| 684 | RENAL FAILURE WO CC/MCC                   | 2.37  | 0.00%  | 20.00% | \$4,791  |
| 808 | MAJ HEMAT/IMMLOG EXCP SICK-CL W MCC       | 6.51  | 13.64% | 10.53% | \$15,381 |
| 24  | CRANIOTOMY W MAJ DEV IMPLNT WO MCC        | 4.46  | 4.55%  | 14.29% | \$25,630 |
| 311 | ANGINA PECTORIS                           | 1.43  | 0.00%  | 25.00% | \$3,505  |
| 372 | MAJOR GI DISORD&PERITONEAL INFCT W CC     | 3.62  | 0.00%  | 18.18% | \$5,628  |
| 988 | NON-XTENS O.R. PROC UNREL TO PDX W CC     | 4.41  | 0.00%  | 5.88%  | \$15,941 |
| 155 | OTHER EAR MOUTH&THROAT DIAGNOSES W CC     | 1.78  | 4.76%  | 10.00% | \$5,500  |
| 183 | MAJOR CHEST TRAUMA W MCC                  | 3.95  | 0.00%  | 0.00%  | \$11,408 |
| 186 | PLEURAL EFFUSION W MCC                    | 4.66  | 4.76%  | 15.00% | \$9,403  |
| 444 | DISORD OF THE BILIARY TRACT W MCC         | 5.59  | 4.76%  | 5.26%  | \$11,379 |
| 292 | HRT FAILURE AND SHOCK W CC                | 2.52  | 0.00%  | 21.05% | \$5,431  |
| 436 | MALIG OF HEPBIL SYS OR PANCREAS W CC      | 4.01  | 5.26%  |        | \$7,068  |
| 815 | RETICULOENDOTHELIAL&IMMUN DISORD W CC     | 2.78  | 0.00%  | 16.67% | \$6,297  |
| 233 | CORONARY BYPASS W CARDIAC CATH W MCC      | 9.80  | 5.26%  | 11.11% | \$40,208 |
| 390 | G.I. OBSTRUCTION WO CC/MCC                | 2.11  | 0.00%  | 0.00%  | \$3,675  |
| 488 | KNEE PROC WO PDX OF INFCT W CC/MCC        | 4.34  | 0.00%  | 5.26%  | \$20,115 |
| 558 | TENDONITIS, MYOSITIS AND BURSTITIS WO MCC | 3.04  | 0.00%  | 10.53% | \$4,903  |
| 560 | AFTERCARE, MS SYS AND CONN TISS W CC      | 2.70  | 0.00%  | 22.22% | \$5,978  |
| 565 | OTHER MS SYS & CONN TISS DX W CC          | 3.37  | 5.26%  | 11.11% | \$7,220  |
| 963 | OTHER MULTIPLE SIGNIFICANT TRAUMA W MCC   | 7.83  | 31.58% | 0.00%  | \$22,870 |
| 27  | CRNOMY/ENDOVASC INTRCRN PROC WO CC/MCC    | 1.38  | 0.00%  | 0.00%  | \$16,811 |
| 35  | CAROTID ARTERY STENT PROC W CC            | 1.21  | 0.00%  | 5.56%  | \$14,099 |
| 62  | ISCHEM STROKE W THROMLT AGENT W CC        | 3.37  | 0.00%  | 5.56%  | \$15,933 |
| 517 | OTH MS SYS&CONN TISS O.R. PROC WO CC/MCC  | 2.34  | 0.00%  | 0.00%  | \$14,003 |
| 916 | ALLERGIC REACTIONS WO MCC                 | 1.57  | 0.00%  | 0.00%  | \$4,556  |
| 125 | OTHER DISORD OF THE EYE WO MCC            | 1.58  | 0.00%  | 0.00%  | \$4,965  |
| 145 | OTH EAR,NOSE,MOH&THRT PROC WO CC/MCC      | 1.74  | 0.00%  | 0.00%  | \$7,587  |
| 159 | DENTAL AND ORAL DISEASES WO CC/MCC        | 1.76  | 0.00%  | 0.00%  | \$4,201  |
| 369 | MAJOR ESOPHAGEAL DISORD W CC              | 4.17  | 0.00%  | 23.53% | \$8,317  |
| 473 | CERVICAL SPINAL FUSION WO CC/MCC          | 1.96  | 0.00%  | 0.00%  | \$19,820 |
| 607 | MINOR SKIN DISORD WO MCC                  | 1.97  | 0.00%  | 13.33% | \$4,536  |
| 643 | ENDOCRINE DISORD W MCC                    | 4.47  | 0.00%  | 6.25%  | \$7,923  |
| 26  | CRANIOTOMY/ENDOVASC INTRCRN PROC W CC     | 3.86  | 0.00%  | 21.43% | \$23,920 |
| 167 | OTHER RESPIRATORY SYS O.R. PROC W CC      | 2.65  | 0.00%  | 0.00%  | \$13,141 |
| 219 | CARD VALVE&MAJ PROC WO CARD CATH W MCC    | 4.74  | 31.25% | 0.00%  | \$47,999 |
| 251 | PERC CV PROC WO CORONARY ART STENT WOMCC  | 1.81  | 6.25%  | 26.67% | \$10,412 |
| 302 | ATHEROSCLEROSIS W MCC                     | 4.42  | 0.00%  | 25.00% | \$8,270  |
| 304 | HYPERTENSION W MCC                        | 4.58  | 0.00%  | 13.33% | \$9,996  |
| 327 | STOMACH, ESOPHAGEAL&DUODENAL PROC W CC    | 5.68  | 0.00%  | 13.33% | \$19,409 |
| 328 | STOMACH, ESOPH&DUODENAL PROC WO CC/MCC    | 2.60  | 0.00%  | 6.25%  | \$12,111 |
| 336 | PERITONEAL ADHESIOLYSIS W CC              | 5.35  | 0.00%  | 18.75% | \$19,232 |

|     |  |       |        |         |          |
|-----|--|-------|--------|---------|----------|
| 463 | WND DEBRID/SKIN GRAFT EXCP HND W MCC     | 20.99 | 0.00%  | 12.50%  | \$60,280 |
| 471 | CERVICAL SPINAL FUSION W MCC             | 9.76  | 0.00%  | 25.00%  | \$38,888 |
| 478 | BIOPSIES MS SYS&CONNECTIVE TISSUE W CC   | 7.62  | 0.00%  | 7.69%   | \$18,653 |
| 540 | OSTEOMYELITIS W CC                       | 4.73  | 0.00%  | 20.00%  | \$7,963  |
| 542 | PATH FX & MS & CONN TISS MALIG W MCC     | 7.36  | 18.75% | 16.67%  | \$12,638 |
| 581 | OTHER SKIN,SUBC TISS&BRST PROC WO CC/MCC | 2.60  | 0.00%  | 6.67%   | \$10,185 |
| 642 | INBORN AND OTHER DISORD OF METABOLISM    | 2.29  | 0.00%  | 21.43%  | \$4,815  |
| 644 | ENDOCRINE DISORD W CC                    | 2.76  | 0.00%  | 12.50%  | \$5,285  |
| 674 | OTHER KIDNEY&URINARY TRACT PROC W CC     | 8.40  | 0.00%  | 13.33%  | \$16,719 |
| 783 | CESAREAN SECTION W STERILIZATION W MCC   | 3.14  | 0.00%  | 0.00%   | \$10,990 |
| 840 | LYMPHOMA AND NON-ACUTE LEUKEMIA W MCC    | 6.72  | 0.00%  |         | \$17,398 |
| 947 | SIGNS AND SYMPTOMS W MCC                 | 3.29  | 18.75% | 7.69%   | \$6,858  |
| 94  | BACTERIAL AND TB INFCT NERV SYS W MCC    | 11.85 | 13.33% | 7.69%   | \$23,678 |
| 123 | NEUROLOGICAL EYE DISORD                  | 2.16  | 0.00%  | 0.00%   | \$5,446  |
| 235 | CORONARY BYPASS WO CARDIAC CATH W MCC    | 8.63  | 6.67%  | 14.29%  | \$41,472 |
| 316 | OTH CIRCULATORY SYS DIAGNOSES WO CC/MCC  | 1.59  | 6.67%  | 7.14%   | \$4,098  |
| 371 | MAJOR GI DISORD&PERITONEAL INFCT W MCC   | 6.23  | 6.67%  | 28.57%  | \$11,281 |
| 459 | SPINAL FUSION EXCEPT CERVICAL W MCC      | 10.36 | 0.00%  | 0.00%   | \$49,770 |
| 504 | FOOT PROC W CC                           | 3.68  | 0.00%  | 6.67%   | \$14,494 |
| 564 | OTHER MS SYS & CONN TISS DX W MCC        | 6.74  | 13.33% | 8.33%   | \$13,327 |
| 617 | AMPUTATION OF LOWER LIMB FOR ENDOCRINE   | 7.52  | 0.00%  | 13.33%  | \$18,505 |
| 834 | ACUTE LEUKEMIA WO MAJOR O.R. PROC W MCC  | 4.89  | 9.09%  |         | \$15,058 |
| 864 | FEVER AND INFLAMMATORY CONDITIONS        | 1.39  | 0.00%  | 6.67%   | \$3,069  |
| 894 | ALC,DRUG ABUSE OR DEPENDENCE, LEFT AMA   | 1.47  | 0.00%  |         | \$3,498  |
| 29  | SPINAL PROC W CC OR SPINAL NSTIM         | 5.38  | 0.00%  | 25.00%  | \$23,803 |
| 59  | MULT SCLEROSIS&CEREBELLAR ATAXIA W CC    | 6.05  | 0.00%  | 21.43%  | \$10,580 |
| 339 | APPENDECTOMY W COMP PRINCIPAL DX W CC    | 3.93  | 0.00%  | 14.29%  | \$12,985 |
| 342 | APPENDECTOMY WO COMP PRINCIPAL DX W CC   | 1.44  | 0.00%  | 0.00%   | \$10,135 |
| 468 | REVIS OF HIP/KNEE REPLACEMENT WO CC/MCC  | 1.39  | 0.00%  | 0.00%   | \$20,110 |
| 475 | AMPUTATION MS SYS&CONN TISS DISORD W CC  | 6.60  | 0.00%  | 21.43%  | \$20,381 |
| 502 | SOFT TISSUE PROC WO CC/MCC               | 2.32  | 0.00%  | 7.14%   | \$11,850 |
| 513 | HND/WRIST PROC,EXCP MAJ THM/JNT W CC/MCC | 3.22  | 0.00%  | 15.38%  | \$11,429 |
| 518 | BK&NCK PROC EXCP SP FUS W MCC,DEV,NSTIM  | 8.34  | 0.00%  | 15.38%  | \$28,770 |
| 544 | PATH FX & MS &CONN TISS MALIG WO CC/MCC  | 2.59  | 0.00%  | 0.00%   | \$4,896  |
| 41  | PERIPH,CRN NRV OTH NRV PROC W CC/NSTIM   | 4.17  | 0.00%  | 16.67%  | \$14,724 |
| 60  | MULT SCLEROSIS&CEREBEL ATAXIA WO CC/MCC  | 3.53  | 0.00%  | 16.67%  | \$6,578  |
| 61  | ISCHEM STROKE W THROMLT AGENT W MCC      | 3.71  | 46.15% | 0.00%   | \$18,266 |
| 156 | OTHER EAR MOUTH&THROAT DX WO CC/MCC      | 1.28  | 0.00%  | 0.00%   | \$2,380  |
| 181 | RESPIRATORY NEOPLASMS W CC               | 3.10  | 8.33%  | 0.00%   | \$8,966  |
| 187 | PLEURAL EFFUSION W CC                    | 2.01  | 0.00%  | 16.67%  | \$4,007  |
| 205 | OTHER RESPIRATORY SYS DIAGNOSES W MCC    | 2.66  | 0.00%  | 0.00%   | \$5,480  |
| 215 | OTHER HRT ASST SYS IMPLNT                | 2.62  | 63.64% | 25.00%  | \$46,380 |
| 227 | CARD DEFIB WO CARDIAC CATH WO MCC        | 1.89  | 0.00%  | 16.67%  | \$28,128 |
| 239 | AMP CIRC DISORD EXCP UP LIMB&TOE W MCC   | 11.59 | 15.38% | 0.00%   | \$27,017 |
| 240 | AMP CIRC DISORD EXCP UP LIMB&TOE W CC    | 8.40  | 0.00%  | 7.69%   | \$21,226 |
| 368 | MAJOR ESOPHAGEAL DISORD W MCC            | 3.48  | 0.00%  | 25.00%  | \$8,957  |
| 381 | COMPLICATED PEPTIC ULCER W CC            | 4.61  | 0.00%  | 9.09%   | \$9,016  |
| 407 | PANCREAS, LIVER AND SHUNT PROC WO CC/MCC | 1.41  | 0.00%  | 0.00%   | \$13,260 |
| 539 | OSTEOMYELITIS W MCC                      | 8.25  | 0.00%  | 7.69%   | \$12,975 |
| 546 | CONNECTIVE TISSUE DISORD W CC            | 2.29  | 0.00%  | 9.09%   | \$4,919  |
| 566 | OTHER MS SYS & CONN TISS DX WO CC/MCC    | 1.74  | 0.00%  | 16.67%  | \$4,422  |
| 914 | TRAUMATIC INJURY WO MCC                  | 1.68  | 0.00%  | 0.00%   | \$3,859  |
| 922 | OTH INJ,POISONING&TOXIC EFFECT DX W MCC  | 5.57  | 0.00%  | 0.00%   | \$11,321 |
| 983 | XTENS O.R. PROC UNREL TO PDX WO CC/MCC   | 2.39  | 0.00%  | 0.00%   | \$11,934 |
| 72  | NONSPECIFIC CEREBROVASC DISORD WO CC/MCC | 1.54  | 0.00%  | 0.00%   | \$3,679  |
| 228 | OTHER CARDIOTHORACIC PROC W MCC          | 6.16  | 0.00%  | 8.33%   | \$26,088 |
| 261 | CARDIAC PACER REVIS EXCP DEV REPL W CC   | 4.50  | 0.00%  | 8.33%   | \$13,274 |
| 264 | OTHER CIRCULATORY SYS O.R. PROC          | 4.89  | 8.33%  | 9.09%   | \$17,907 |
| 331 | MAJOR SMALL&LARGE BOWEL PROC WO CC/MCC   | 2.70  | 0.00%  | 8.33%   | \$12,593 |
| 375 | DIGESTIVE MALIGNANCY W CC                | 6.79  | 16.67% | 100.00% | \$14,002 |
| 387 | INFLAMMATORY BOWEL DISEASE WO CC/MCC     | 2.97  | 0.00%  | 0.00%   | \$5,470  |
| 469 | MAJ HIP/KN JT REPL W MCC/ TOT ANKL REPL  | 4.06  | 8.33%  | 0.00%   | \$23,737 |
| 515 | OTHER MS SYS&CONN TISSUE O.R. PROC W MCC | 6.79  | 0.00%  | 8.33%   | \$22,353 |
| 554 | BONE DISEASES AND ARTHROPATHIES WO MCC   | 3.57  | 0.00%  | 8.33%   | \$6,209  |
| 835 | ACUTE LEUKEMIA WO MAJOR O.R. PROC W CC   | 2.75  | 0.00%  |         | \$9,837  |
| 915 | ALLERGIC REACTIONS W MCC                 | 3.53  | 0.00%  | 9.09%   | \$11,078 |
| 935 | NON-EXTENSIVE BURNS                      | 2.05  | 0.00%  | 9.09%   | \$4,114  |
| 55  | NERVOUS SYS NEOPLASMS WO MCC             | 2.85  | 0.00%  |         | \$7,034  |
| 141 | MAJOR HEAD AND NECK PROC W CC            | 4.10  | 0.00%  | 0.00%   | \$20,702 |

|     |  |       |        |        |          |
|-----|--|-------|--------|--------|----------|
| 144 | OTH EAR,NOSE,MOTH&THROAT O.R. PROC W CC  | 3.15  | 0.00%  | 0.00%  | \$12,168 |
| 168 | OTH RESPIRATORY SYS O.R. PROC WO CC/MCC  | 1.42  | 0.00%  | 0.00%  | \$12,003 |
| 201 | PNEUMOTHORAX WO CC/MCC                   | 1.80  | 0.00%  | 9.09%  | \$3,538  |
| 221 | CARD VALVE&MAJ PROC WO CATH WO CC/MCC    | 3.15  | 0.00%  | 9.09%  | \$32,742 |
| 224 | CARD DEFIB W CATH WO AMI/HF/SHOCK W MCC  | 6.06  | 0.00%  | 0.00%  | \$38,994 |
| 273 | PERCUTANEOUS INTRACARDIAC PROC W MCC     | 3.90  | 0.00%  | 9.09%  | \$23,095 |
| 354 | HERNIA PROC EXCP INGUINAL&FEMORAL W CC   | 3.42  | 0.00%  | 9.09%  | \$16,392 |
| 373 | MAJ GI DISORD&PERITONEAL INFCT WO CC/MCC | 2.02  | 0.00%  | 27.27% | \$4,311  |
| 579 | OTHER SKIN,SUBC TISSUE&BREAST PROC W MCC | 9.06  | 0.00%  | 20.00% | \$23,933 |
| 816 | RETICULOENDOTHELIAL&IMMUNDISORD WOCC/MCC | 1.30  | 0.00%  | 18.18% | \$2,469  |
| 906 | HAND PROC FOR INJURIES                   | 2.07  | 0.00%  | 0.00%  | \$12,156 |
| 921 | COMPLICATIONS OF TREATMENT WO CC/MCC     | 1.51  | 0.00%  | 27.27% | \$3,852  |
| 923 | OTH INJ,POISONING&TOXIC EFFECT DX WO MCC | 2.80  | 0.00%  | 0.00%  | \$6,532  |
| 97  | NON-BACT INFCT EXCP VIR MENGTS W MCC     | 10.67 | 20.00% | 12.50% | \$33,009 |
| 152 | OTITIS MEDIA AND URI W MCC               | 1.76  | 0.00%  | 0.00%  | \$3,846  |
| 157 | DENTAL AND ORAL DISEASES W MCC           | 4.12  | 10.00% | 0.00%  | \$10,080 |
| 222 | CARD DEFIB W CARD CATH,AMI/HF/SHK W MCC  | 7.42  | 0.00%  | 10.00% | \$43,604 |
| 374 | DIGESTIVE MALIGNANCY W MCC               | 5.55  | 20.00% |        | \$11,888 |
| 420 | HEPATOBIILIARY DIAGNOSTIC PROC W MCC     | 7.92  | 0.00%  | 0.00%  | \$25,429 |
| 443 | DISORD LIVER EXCP MALIG,CIRR WO CC/MCC   | 1.87  | 0.00%  | 0.00%  | \$4,927  |
| 496 | LOC EXCIS&REMV INT FIX EXCP HIP& W CC    | 3.05  | 0.00%  | 20.00% | \$13,313 |
| 535 | FRACTURES OF HIP AND PELVIS W MCC        | 4.32  | 30.00% | 0.00%  | \$11,047 |
| 593 | SKIN ULCERS W CC                         | 4.32  | 0.00%  | 20.00% | \$8,769  |
| 596 | MAJOR SKIN DISORD WO MCC                 | 2.07  | 0.00%  | 0.00%  | \$4,033  |
| 769 | POSTPARTUM&POST ABORTION DX W O.R. PROC  | 3.03  | 0.00%  | 0.00%  | \$16,027 |
| 818 | OTHER ANTEPARTUM DX W O.R. PROC W CC     | 2.26  | 0.00%  | 11.11% | \$11,356 |
| 838 | CHEMOTHAPY W AC LEUK SDX W CC OR HI DOSE | 4.93  | 0.00%  |        | \$7,804  |
| 909 | OTHER O.R. PROC FOR INJURIES WO CC/MCC   | 1.41  | 0.00%  | 10.00% | \$8,759  |
| 32  | VENTRICULAR SHUNT PROC W CC              | 2.92  | 0.00%  | 12.50% | \$19,722 |
| 58  | MULT SCLEROSIS&CEREBELLAR ATAXIA W MCC   | 7.96  | 12.50% | 0.00%  | \$14,330 |
| 73  | CRANIAL&PERIPHERAL NERVE DISORD W MCC    | 9.19  | 0.00%  | 0.00%  | \$15,394 |
| 78  | HYPERTENSIVE ENCEPHALOPATHY W CC         | 2.52  | 0.00%  | 0.00%  | \$5,855  |
| 95  | BACTERIAL AND TB INFCT NERV SYS W CC     | 7.05  | 0.00%  | 11.11% | \$12,433 |
| 245 | AICD GENERATOR PROC                      | 4.52  | 0.00%  | 22.22% | \$28,047 |
| 454 | COMB ANT/POSTERIOR SPINAL FUSION W CC    | 4.59  | 0.00%  | 12.50% | \$42,872 |
| 466 | REVIS OF HIP OR KNEE REPLACEMENT W MCC   | 8.23  | 11.11% | 37.50% | \$37,574 |
| 474 | AMPUTATION MS SYS&CONN TISS DISORD W MCC | 9.04  | 0.00%  | 33.33% | \$27,080 |
| 477 | BIOPSIES MS SYS&CONNECTIVE TISSUE W MCC  | 13.23 | 12.50% | 20.00% | \$29,175 |
| 486 | KNEE PROC W PDX OF INFCT W CC            | 4.28  | 0.00%  | 0.00%  | \$15,563 |
| 520 | BACK&NECK PROC EXCP SP FUSION WO CC/MCC  | 2.58  | 0.00%  | 11.11% | \$14,600 |
| 545 | CONNECTIVE TISSUE DISORD W MCC           | 7.49  | 0.00%  | 11.11% | \$13,648 |
| 557 | TENDONITIS, MYOSITIS AND BURSITIS W MCC  | 5.33  | 0.00%  | 22.22% | \$10,119 |
| 559 | AFTERCARE, MS SYS AND CONN TISS W MCC    | 7.38  | 11.11% | 25.00% | \$13,399 |
| 604 | TRAUMA TO SKIN, SUBC TISS&BREAST W MCC   | 3.85  | 12.50% | 14.29% | \$9,368  |
| 744 | D&C LSCOPY TUBAL INTERRUPTION W CC/MCC   | 3.62  | 0.00%  | 0.00%  | \$8,370  |
| 28  | SPINAL PROC W MCC                        | 15.89 | 0.00%  | 0.00%  | \$54,302 |
| 37  | EXTRACRANIAL PROC W MCC                  | 3.29  | 12.50% | 0.00%  | \$16,752 |
| 216 | CARD VALVE&MAJ CARDTHOR PROC W CATH WMCC | 6.91  | 0.00%  | 50.00% | \$53,344 |
| 289 | ACUTE AND SUBACUTE ENDOCARDITIS W CC     | 4.47  | 0.00%  | 0.00%  | \$9,253  |
| 293 | HRT FAILURE AND SHOCK WO CC/MCC          | 1.80  | 0.00%  | 12.50% | \$3,644  |
| 489 | KNEE PROC WO PDX OF INFCT WO CC/MCC      | 1.82  | 0.00%  | 0.00%  | \$13,851 |
| 534 | FRACTURES OF FEMUR WO MCC                | 2.02  | 0.00%  | 0.00%  | \$4,421  |
| 549 | SEPTIC ARTHRITIS W CC                    | 3.23  | 0.00%  | 0.00%  | \$6,495  |
| 555 | SIGNS & SYMP MS SYS & CONN TISS W MCC    | 8.36  | 0.00%  | 14.29% | \$15,844 |
| 728 | INFLAMMATION MALE REPROD SYS WO MCC      | 2.91  | 0.00%  | 0.00%  | \$5,649  |
| 810 | MAJ HEMAT/IMMLOG EXCP SICK-CL WO CC/MCC  | 1.86  | 0.00%  | 0.00%  | \$3,728  |
| 843 | OTH MYELOPROLIF DISORD/NEOPLSTC DX W MCC | 5.19  | 12.50% |        | \$10,448 |
| 867 | OTHER INFCT&PARASITIC DZ DIAGNOSES W MCC | 3.69  | 25.00% | 33.33% | \$9,238  |
| 89  | CONCUSSION W CC                          | 2.19  | 0.00%  | 0.00%  | \$6,651  |
| 192 | CHRONIC OBSTRUCTIVE PULM DZ WO CC/MCC    | 2.12  | 0.00%  | 28.57% | \$4,195  |
| 196 | INTERSTITIAL LUNG DISEASE W MCC          | 4.82  | 0.00%  | 14.29% | \$10,359 |
| 248 | PERC CV PROC W NONDRG-ELUT STENT W MCC   | 2.89  | 28.57% | 0.00%  | \$15,821 |
| 249 | PERC CV PROC W NONDRG-ELUT STENT WO MCC  | 2.25  | 0.00%  | 0.00%  | \$11,774 |
| 266 | ENDOVASC CARD VLV REPL&SUPMT PROC W MCC  | 2.18  | 0.00%  | 14.29% | \$51,798 |
| 306 | CARD CONGENITAL&VALVULAR DISORD W MCC    | 2.94  | 0.00%  | 16.67% | \$7,907  |
| 307 | CARD CONGENITAL&VALVULAR DISORD WO MCC   | 2.75  | 0.00%  | 0.00%  | \$4,479  |
| 345 | MINOR SMALL AND LARGE BOWEL PROC W CC    | 3.57  | 0.00%  | 14.29% | \$9,497  |
| 409 | BILIARY TRACT PROC EXCP ONLY CHOLE W CC  | 6.57  | 0.00%  | 14.29% | \$20,049 |
| 500 | SOFT TISSUE PROC W MCC                   | 4.27  | 28.57% | 0.00%  | \$21,875 |

|     |  |       |         |        |          |
|-----|--|-------|---------|--------|----------|
| 505 | FOOT PROC WO CC/MCC                      | 1.75  | 0.00%   | 0.00%  | \$10,855 |
| 553 | BONE DISEASES AND ARTHROPATHIES W MCC    | 3.14  | 0.00%   | 42.86% | \$5,739  |
| 628 | OTHER ENDOCR, NUTR&METAB O.R. PROC W MCC | 9.39  | 0.00%   | 14.29% | \$27,056 |
| 694 | URINARY STONES WO MCC                    | 2.25  | 0.00%   | 0.00%  | \$4,098  |
| 755 | MALIG, FEMALE REPRODUCTIVE SYS W CC      | 4.38  | 0.00%   |        | \$8,588  |
| 974 | HIV W MAJOR RELATED CONDITION W MCC      | 7.28  | 0.00%   | 0.00%  | \$15,672 |
| 989 | NON-XTENS OR PROC UNREL TO PDX WO CC/MCC | 1.96  | 0.00%   | 14.29% | \$8,056  |
| 30  | SPINAL PROC WO CC/MCC                    | 2.57  | 0.00%   | 16.67% | \$14,636 |
| 40  | PERIPH,CRN NRV OTH NRV SYS PROC W MCC    | 13.85 | 0.00%   | 33.33% | \$33,897 |
| 98  | NON-BACT INFCT EXCP VIR MENGTS W CC      | 7.54  | 0.00%   | 20.00% | \$17,241 |
| 99  | NON-BACT INFCT EXCP VIR MENGTS WO CC/MCC | 2.29  | 0.00%   | 33.33% | \$4,650  |
| 260 | CARDIAC PACER REVIS EXCP DEV REPL W MCC  | 9.57  | 33.33%  | 0.00%  | \$25,079 |
| 296 | CARDIAC ARREST, UNEXPLAINED W MCC        | 2.45  | 100.00% |        | \$9,248  |
| 337 | PERITONEAL ADHESIOLYSIS WO CC/MCC        | 3.55  | 0.00%   | 0.00%  | \$17,283 |
| 358 | OTHER DIGESTIVE SYS O.R. PROC WO CC/MCC  | 1.41  | 0.00%   | 0.00%  | \$8,978  |
| 380 | COMPLICATED PEPTIC ULCER W MCC           | 2.99  | 0.00%   | 16.67% | \$9,810  |
| 415 | CHOLE EXCP BY LAPAROSCOPE WO C.D.E. W CC | 6.56  | 0.00%   | 16.67% | \$19,950 |
| 453 | COMB ANT/POSTERIOR SPINAL FUSION W MCC   | 12.76 | 16.67%  | 20.00% | \$72,949 |
| 510 | SHOULDER EXCEPT MAJOR JOINT PROC W MCC   | 3.97  | 0.00%   | 0.00%  | \$19,185 |
| 514 | HND/WRIST PROC,EXCP MAJ THM/JNT WOCC/MCC | 1.26  | 0.00%   | 16.67% | \$8,266  |
| 571 | SKIN DEBRIDEMENT W CC                    | 6.28  | 0.00%   | 16.67% | \$17,624 |
| 645 | ENDOCRINE DISORD WO CC/MCC               | 1.59  | 0.00%   | 0.00%  | \$3,223  |
| 746 | VAGINA, CERVIX AND VULVA PROC W CC/MCC   | 2.03  | 0.00%   | 16.67% | \$8,412  |
| 759 | INFCT, FEMALE REPRODUCTIVE SYS WO CC/MCC | 1.82  | 0.00%   | 0.00%  | \$3,932  |
| 817 | OTHER ANTEPARTUM DX W O.R. PROC W MCC    | 1.70  | 0.00%   | 25.00% | \$10,842 |
| 824 | LYMPHOMA&NON-AC LEUKEMIA W OTH PROC W CC | 7.47  | 0.00%   | 0.00%  | \$27,200 |
| 846 | CHEMOTHERAPY WO AC LEUKEMIA AS SDX W MCC | 3.91  | 0.00%   |        | \$7,092  |
| 886 | BEHAVIORAL AND DEVELOPMENTAL DISORD      | 3.29  | 0.00%   |        | \$3,943  |
| 949 | AFTERCARE W CC/MCC                       | 5.71  | 0.00%   | 33.33% | \$10,065 |
| 955 | CRANIOTOMY FOR MULT SIGNIFICANT TRAUMA   | 15.00 | 33.33%  | 0.00%  | \$53,314 |
| 42  | PERIPH,CRN NRV OTH NRV PROC WO CC/MCC    | 1.82  | 0.00%   | 0.00%  | \$11,520 |
| 80  | NONTRAUMATIC STUPOR&COMA W MCC           | 5.30  | 0.00%   | 0.00%  | \$11,456 |
| 121 | ACUTE MAJOR EYE INFCT W CC/MCC           | 5.19  | 0.00%   | 0.00%  | \$7,670  |
| 151 | EPISTAXIS WO MCC                         | 1.52  | 0.00%   | 0.00%  | \$3,227  |
| 154 | OTHER EAR MOUTH&THROAT DIAGNOSES W MCC   | 2.27  | 0.00%   | 0.00%  | \$6,081  |
| 217 | CARD VALVE&MAJ CARDTHOR PROC W CATH W CC | 2.61  | 20.00%  | 0.00%  | \$39,847 |
| 225 | CARD DEFIB W CATH WO AMI/HF/SHK WO MCC   | 3.25  | 0.00%   | 0.00%  | \$27,256 |
| 288 | ACUTE AND SUBACUTE ENDOCARDITIS W MCC    | 6.68  | 0.00%   | 25.00% | \$11,303 |
| 319 | OTHER ENDOVASC CARDIAC VALVE PROC W MCC  | 6.74  | 0.00%   | 60.00% | \$23,090 |
| 414 | CHOLE EXCP LAPAROSCOPE WO C.D.E. W MCC   | 8.96  | 0.00%   | 20.00% | \$30,305 |
| 416 | CHOLE EXCP LSCOPE WO C.D.E. WO CC/MCC    | 2.76  | 0.00%   | 0.00%  | \$14,320 |
| 423 | OTHER HEPBIL OR PANCREAS O.R. PROC W MCC | 5.79  | 0.00%   | 20.00% | \$21,978 |
| 498 | LOC EXCIS&REMV INT FIX HIP&FEMR W CC/MCC | 5.75  | 0.00%   | 0.00%  | \$17,784 |
| 506 | MAJOR THUMB OR JOINT PROC                | 3.44  | 0.00%   | 0.00%  | \$14,835 |
| 547 | CONNECTIVE TISSUE DISORD WO CC/MCC       | 2.00  | 0.00%   | 20.00% | \$3,309  |
| 550 | SEPTIC ARTHRITIS WO CC/MCC               | 2.49  | 0.00%   | 0.00%  | \$5,731  |
| 606 | MINOR SKIN DISORD W MCC                  | 4.80  | 0.00%   | 0.00%  | \$6,346  |
| 760 | MENSTRUAL&OTH FEM REPROD DISORD W CC/MCC | 1.32  | 0.00%   | 0.00%  | \$3,345  |
| 799 | SPLENECTOMY W MCC                        | 5.70  | 40.00%  | 0.00%  | \$38,681 |
| 823 | LYMPHOMA&NON-AC LEUKEMIA W OTH PROC WMCC | 10.32 | 0.00%   | 0.00%  | \$25,693 |
| 837 | CHEMOTHAPY W AC LEUK SDX OR HI DOSE WMCC | 9.81  | 0.00%   |        | \$18,138 |
| 842 | LYMPHOMA AND NON-AC LEUK WO CC/MCC       | 3.97  | 0.00%   |        | \$12,858 |
| 844 | OTH MYELOPROLIF DISORD/NEOPLSTC DX W CC  | 3.37  | 0.00%   | 0.00%  | \$6,512  |
| 869 | OTHER INFCT&PARASITIC DZ DX WO CC/MCC    | 3.19  | 0.00%   | 0.00%  | \$5,597  |
| 882 | NEUROSES EXCEPT DEPRESSIVE               | 2.13  | 0.00%   |        | \$4,789  |
| 901 | WOUND DEBRIDEMENTS FOR INJURIES W MCC    | 12.87 | 20.00%  | 25.00% | \$40,249 |
| 902 | WOUND DEBRIDEMENTS FOR INJURIES W CC     | 8.22  | 0.00%   | 20.00% | \$26,657 |
| 959 | OTH O.R. PROC MULT SIGFN TRAM WO CC/MCC  | 3.64  | 0.00%   | 25.00% | \$15,214 |
| 11  | TRCHOS,FACE MOTH&NCK DX OR LRYNGTMY WMCC | 16.53 | 0.00%   | 0.00%  | \$34,263 |
| 63  | ISCHEM STROKE W THROMLT AGENT WO CC/MCC  | 2.11  | 0.00%   | 0.00%  | \$10,560 |
| 81  | NONTRAUMATIC STUPOR&COMA WO MCC          | 3.19  | 0.00%   | 0.00%  | \$4,700  |
| 90  | CONCUSSION WO CC/MCC                     | 1.00  | 0.00%   | 0.00%  | \$3,220  |
| 113 | ORBITAL PROC W CC/MCC                    | 5.33  | 0.00%   | 0.00%  | \$22,713 |
| 115 | EXTRAOCULAR PROC EXCEPT ORBIT            | 2.78  | 0.00%   | 0.00%  | \$11,979 |
| 124 | OTHER DISORD OF THE EYE W MCC            | 5.11  | 0.00%   | 0.00%  | \$10,471 |
| 188 | PLEURAL EFFUSION WO CC/MCC               | 2.45  | 0.00%   | 0.00%  | \$3,683  |
| 268 | AORT HRT ASST PROC EXCP PULS BLLN W MCC  | 2.83  | 25.00%  | 33.33% | \$59,792 |
| 335 | PERITONEAL ADHESIOLYSIS W MCC            | 7.40  | 0.00%   | 25.00% | \$24,255 |
| 341 | APPENDECTOMY WO COMP PRINCIPAL DX W MCC  | 1.93  | 0.00%   | 0.00%  | \$12,621 |

|     |  |       |        |        |          |
|-----|--|-------|--------|--------|----------|
| 355 | HERNIA PROC EXCP INGUINAL&FEMR WO CC/MCC | 1.19  | 0.00%  | 25.00% | \$9,417  |
| 382 | COMPLICATED PEPTIC ULCER WO CC/MCC       | 2.55  | 0.00%  | 0.00%  | \$5,103  |
| 385 | INFLAMMATORY BOWEL DISEASE W MCC         | 6.93  | 0.00%  | 50.00% | \$12,722 |
| 408 | BILIARY TRACT PROC EXCP ONLY CHOLE W MCC | 6.47  | 0.00%  | 0.00%  | \$22,290 |
| 457 | SP FUSN EXCP CERV CURVATURE W CC         | 5.44  | 0.00%  | 0.00%  | \$39,650 |
| 462 | BILAT/MULT MAJ JNT PROC LO EXTRM WO MCC  | 4.82  | 0.00%  | 25.00% | \$21,756 |
| 497 | LOC EXCIS&REMV INT FIX EXCP WO CC/MCC    | 1.00  | 0.00%  | 75.00% | \$9,164  |
| 572 | SKIN DEBRIDEMENT WO CC/MCC               | 2.85  | 0.00%  | 0.00%  | \$13,350 |
| 584 | BRST BX,LOC EXCIS&OTH BRST PROC W CC/MCC | 3.13  | 0.00%  | 25.00% | \$21,355 |
| 601 | NON-MALIGNANT BREAST DISORD WO CC/MCC    | 1.86  | 0.00%  | 0.00%  | \$2,846  |
| 616 | AMPUTATION OF LOWER LIMB FOR ENDOCRINE   | 11.92 | 0.00%  | 25.00% | \$24,844 |
| 619 | O.R. PROC FOR OBESITY W MCC              | 2.38  | 0.00%  | 0.00%  | \$17,201 |
| 659 | KID&URETER PROC FOR NON-NEOPLASM W MCC   | 7.40  | 0.00%  | 25.00% | \$21,186 |
| 660 | KID&URETER PROC FOR NON-NEOPLASM W CC    | 4.12  | 0.00%  | 25.00% | \$10,611 |
| 686 | KIDNEY&URINARY TRACT NEOPLASMS W MCC     | 6.96  | 0.00%  |        | \$13,635 |
| 696 | KIDNEY&URINARY TRACT SIGNS&SYMP WO MCC   | 4.47  | 0.00%  | 25.00% | \$9,179  |
| 700 | OTHER KIDNEY&URINARY TRACT DX WO CC/MCC  | 3.16  | 0.00%  | 0.00%  | \$7,047  |
| 730 | OTHER MALE REPROD SYS DX WO CC/MCC       | 1.00  | 0.00%  | 0.00%  | \$2,243  |
| 743 | UTER ADNXL PROC NON-MALIGNANCY WO CC/MCC | 1.00  | 0.00%  | 0.00%  | \$9,742  |
| 754 | MALIG, FEMALE REPRODUCTIVE SYS W MCC     | 3.03  | 25.00% |        | \$9,448  |
| 757 | INFCT, FEMALE REPRODUCTIVE SYS W MCC     | 9.68  | 0.00%  | 25.00% | \$14,165 |
| 779 | ABORTION WO D&C                          | 1.59  | 0.00%  |        | \$2,533  |
| 803 | OTH O.R. PROC BLD&BLD FORM ORGANS W CC   | 8.08  | 25.00% | 0.00%  | \$24,181 |
| 814 | RETICULOENDOTHELIAL&IMMUN DISORD W MCC   | 3.31  | 25.00% | 0.00%  | \$7,939  |
| 821 | LYMPHOMA&LEUKEMIA W MAJOR O.R. PROC W CC | 5.15  | 0.00%  | 0.00%  | \$17,757 |
| 829 | MYELOPROLIF DISORD/NEOPLM PROC W CC/MCC  | 7.09  | 0.00%  | 50.00% | \$25,500 |
| 858 | POSTOP OR POSTTRM INFCT PROC WO CC/MCC   | 2.78  | 0.00%  | 0.00%  | \$11,570 |
| 868 | OTHER INFCT&PARASITIC DZ DIAGNOSES W CC  | 6.37  | 0.00%  | 25.00% | \$14,114 |
| 883 | DISORD OF PERSONALITY&IMPULSE CONTROL    | 2.45  | 0.00%  |        | \$2,435  |
| 934 | FULL THICK BURN WO GRFT OR INHAL INJURY  | 2.63  | 0.00%  | 0.00%  | \$6,770  |
| 998 | PDX INVALID AS DISCHARGE DIAGNOSIS       | 1.41  | 0.00%  | 0.00%  | \$3,200  |
| 20  | INTRACRANIAL VASC PROC W PDX HEMRG W MCC | 5.52  | 0.00%  | 0.00%  | \$32,689 |
| 33  | VENTRICULAR SHUNT PROC WO CC/MCC         | 1.59  | 0.00%  | 0.00%  | \$19,158 |
| 77  | HYPERTENSIVE ENCEPHALOPATHY W MCC        | 5.52  | 0.00%  | 0.00%  | \$13,476 |
| 102 | HEADACHES W MCC                          | 2.41  | 0.00%  | 33.33% | \$5,468  |
| 114 | ORBITAL PROC WO CC/MCC                   | 1.71  | 0.00%  | 0.00%  | \$8,923  |
| 116 | INTRAOCULAR PROC W CC/MCC                | 1.26  | 0.00%  | 0.00%  | \$9,993  |
| 137 | MOUTH PROC W CC/MCC                      | 3.00  | 0.00%  | 0.00%  | \$6,075  |
| 146 | EAR MOUTH AND THROAT MALIGNANCY W MCC    | 6.69  | 33.33% |        | \$16,201 |
| 147 | EAR MOUTH AND THROAT MALIGNANCY W CC     | 4.48  | 0.00%  |        | \$8,075  |
| 346 | MINOR SMALL&LARGE BOWEL PROC WO CC/MCC   | 2.00  | 0.00%  | 0.00%  | \$6,968  |
| 347 | ANAL AND STOMAL PROC W MCC               | 1.82  | 0.00%  | 0.00%  | \$9,361  |
| 349 | ANAL AND STOMAL PROC WO CC/MCC           | 3.42  | 0.00%  | 0.00%  | \$9,004  |
| 351 | INGUINAL AND FEMORAL HERNIA PROC W CC    | 1.82  | 0.00%  | 0.00%  | \$11,141 |
| 352 | INGUINAL&FEMORAL HERNIA PROC WO CC/MCC   | 1.26  | 0.00%  | 0.00%  | \$8,191  |
| 353 | HERNIA PROC EXCP INGUINAL&FEMORAL W MCC  | 3.83  | 0.00%  | 0.00%  | \$17,697 |
| 384 | UNCOMPLICATED PEPTIC ULCER WO MCC        | 1.26  | 0.00%  | 33.33% | \$2,750  |
| 410 | BILIARY TRACT PROC EXCP CHOLE WO CC/MCC  | 3.63  | 0.00%  | 33.33% | \$21,346 |
| 411 | CHOLECYSTECTOMY W C.D.E. W MCC           | 16.29 | 33.33% | 0.00%  | \$48,940 |
| 412 | CHOLECYSTECTOMY W C.D.E. W CC            | 7.66  | 0.00%  | 33.33% | \$24,938 |
| 424 | OTHER HEPBIL OR PANCREAS O.R. PROC W CC  | 4.31  | 0.00%  | 33.33% | \$13,368 |
| 434 | CIRRHOIS&ALCOHOLIC HEPATITIS WO CC/MCC   | 2.15  | 0.00%  | 33.33% | \$4,363  |
| 456 | SP FUSN EXCP CERV CURVATURE W MCC        | 15.66 | 33.33% | 0.00%  | \$63,688 |
| 465 | WND DEBRID/SKIN GRAFT EXCP HND WO CC/MCC | 7.49  | 0.00%  | 0.00%  | \$21,293 |
| 476 | AMPUTATION MS&CONN TISS DISORD WO CC/MCC | 1.91  | 0.00%  | 0.00%  | \$10,629 |
| 485 | KNEE PROC W PDX OF INFCT W MCC           | 11.97 | 0.00%  | 0.00%  | \$28,944 |
| 541 | OSTEOMYELITIS WO CC/MCC                  | 2.29  | 0.00%  | 0.00%  | \$3,411  |
| 561 | AFTERCARE, MS SYS & CONN TISS WO CC/MCC  | 2.29  | 0.00%  | 0.00%  | \$8,357  |
| 574 | SKIN GRAFT FOR ULCER OR CLULITIS W CC    | 8.17  | 0.00%  | 33.33% | \$27,326 |
| 577 | SKIN GRAFT EXCP FOR ULCER/CLULITIS W CC  | 9.17  | 0.00%  | 0.00%  | \$22,925 |
| 578 | SKIN GRAFT EXCP ULCER/CLULITIS WO CC/MCC | 4.93  | 0.00%  | 0.00%  | \$10,073 |
| 585 | BRST BX,LOC EXCIS&OTH BRST PROC WOCC/MCC | 1.82  | 0.00%  | 33.33% | \$17,922 |
| 597 | MALIGNANT BREAST DISORD W MCC            | 3.91  | 0.00%  |        | \$15,514 |
| 600 | NON-MALIGNANT BREAST DISORD W CC/MCC     | 4.31  | 0.00%  | 0.00%  | \$6,290  |
| 614 | ADRENAL AND PITUITARY PROC W CC/MCC      | 2.41  | 0.00%  | 0.00%  | \$20,113 |
| 623 | SKIN GRFT&WND DEBRID ENDOCR DISORD W CC  | 8.76  | 0.00%  | 0.00%  | \$16,740 |
| 629 | OTHER ENDOCR, NUTR&METAB O.R. PROC W CC  | 4.64  | 0.00%  | 33.33% | \$14,490 |
| 661 | KID&URETER PROC FOR NON-NEOPLM WO CC/MCC | 1.82  | 0.00%  | 0.00%  | \$6,913  |
| 675 | OTH KIDNEY&URINARY TRACT PROC WO CC/MCC  | 6.14  | 0.00%  | 0.00%  | \$25,843 |



|     |  |       |         |         |           |
|-----|--|-------|---------|---------|-----------|
| 687 | KIDNEY&URINARY TRACT NEOPLASMS W CC      | 3.30  | 0.00%   |         | \$6,226   |
| 693 | URINARY STONES W MCC                     | 4.16  | 0.00%   | 0.00%   | \$8,149   |
| 723 | MALIGNANCY, MALE REPRODUCTIVE SYS W CC   | 4.48  | 0.00%   |         | \$9,284   |
| 742 | UTER ADNXL PROC NON-MALIGNANCY W CC/MCC  | 2.52  | 0.00%   | 0.00%   | \$13,329  |
| 819 | OTH ANTEPARTUM DX W O.R. PROC WO CC/MCC  | 2.15  | 0.00%   | 33.33%  | \$12,649  |
| 903 | WND DEBRIDEMENTS FOR INJURIES WO CC/MCC  | 2.47  | 0.00%   | 0.00%   | \$12,578  |
| 904 | SKIN GRAFTS FOR INJURIES W CC/MCC        | 10.30 | 0.00%   | 33.33%  | \$30,358  |
| 940 | OR PROC W DX OTH CNTCT W HLTH SERV W CC  | 3.11  | 0.00%   | 33.33%  | \$13,239  |
| 12  | TRCHOS,FACE MOTH&NCK DX OR LRYNGTMY W CC | 6.00  | 0.00%   | 0.00%   | \$29,218  |
| 34  | CAROTID ARTERY STENT PROC W MCC          | 1.73  | 0.00%   | 0.00%   | \$16,673  |
| 52  | SPINAL DISORD AND INJURIES W CC/MCC      | 5.48  | 50.00%  | 0.00%   | \$12,265  |
| 67  | NONSPEC CVA&PRECEREB OCCLS WOINFR W MCC  | 4.24  | 0.00%   | 50.00%  | \$8,619   |
| 75  | VIRAL MENINGITIS W CC/MCC                | 1.41  | 0.00%   | 0.00%   | \$5,765   |
| 79  | HYPERTENSIVE ENCEPHALOPATHY WO CC/MCC    | 4.24  | 0.00%   | 0.00%   | \$9,861   |
| 140 | MAJOR HEAD AND NECK PROC W MCC           | 2.83  | 0.00%   | 50.00%  | \$15,757  |
| 142 | MAJOR HEAD AND NECK PROC WO CC/MCC       | 3.46  | 0.00%   | 0.00%   | \$17,587  |
| 223 | CARD DEFIB W CARD CATH,AMI/HF/SHK WO MCC | 4.24  | 0.00%   | 0.00%   | \$36,167  |
| 232 | CORONARY BYPASS W PTCA WO MCC            | 7.94  | 0.00%   | 0.00%   | \$36,765  |
| 241 | AMP CIRC DISORD EXCP UPLIMB&TOE WOCC/MCC | 4.69  | 0.00%   | 0.00%   | \$14,627  |
| 255 | UPPER LIMB&TOE AMP CIRC SYS DISORD W MCC | 5.48  | 0.00%   | 0.00%   | \$13,802  |
| 258 | CARDIAC PACEMAKER DEV REPLACEMENT W MCC  | 7.00  | 0.00%   | 50.00%  | \$17,346  |
| 294 | DEEP VEIN THROMBOPHLEBITIS W CC/MCC      | 3.46  | 0.00%   | 0.00%   | \$3,835   |
| 298 | CARDIAC ARREST, UNEXPLAINED WO CC/MCC    | 1.00  | 100.00% |         | \$6,784   |
| 350 | INGUINAL AND FEMORAL HERNIA PROC W MCC   | 12.25 | 0.00%   | 0.00%   | \$25,923  |
| 376 | DIGESTIVE MALIGNANCY WO CC/MCC           | 4.00  | 0.00%   |         | \$7,040   |
| 422 | HEPATOBIILIARY DIAGNOSTIC PROC WO CC/MCC | 3.16  | 0.00%   | 0.00%   | \$16,456  |
| 437 | MALIG HEPBIL SYS OR PANCREAS WO CC/MCC   | 3.16  | 0.00%   |         | \$3,877   |
| 455 | COMB ANT/POSTERIOR SPINAL FUSN WO CC/MCC | 1.00  | 0.00%   | 0.00%   | \$27,998  |
| 479 | BIOPSIES MS SYS&CONN TISSUE WO CC/MCC    | 1.41  | 0.00%   | 0.00%   | \$9,791   |
| 487 | KNEE PROC W PDX OF INFCT WO CC/MCC       | 3.00  | 0.00%   | 50.00%  | \$10,524  |
| 537 | SPRAINS&DISLOC HIP PELVIS&THIGH W CC/MCC | 3.87  | 0.00%   | 0.00%   | \$12,829  |
| 548 | SEPTIC ARTHRITIS W MCC                   | 7.07  | 0.00%   | 0.00%   | \$12,155  |
| 570 | SKIN DEBRIDEMENT W MCC                   | 6.48  | 0.00%   | 50.00%  | \$13,672  |
| 592 | SKIN ULCERS W MCC                        | 6.00  | 0.00%   | 0.00%   | \$8,564   |
| 594 | SKIN ULCERS WO CC/MCC                    | 1.73  | 0.00%   | 0.00%   | \$5,040   |
| 598 | MALIGNANT BREAST DISORD W CC             | 6.48  | 0.00%   |         | \$11,493  |
| 624 | SKIN GRFT/WOUND DEBRID WO CC/MCC         | 2.24  | 0.00%   | 0.00%   | \$12,953  |
| 688 | KIDNEY&URINARY TRACT NEOPLASMS WO CC/MCC | 2.00  | 0.00%   |         | \$3,185   |
| 726 | BENIGN PROSTATIC HYPERTROPHY WO MCC      | 1.73  | 0.00%   | 0.00%   | \$6,012   |
| 729 | OTHER MALE REPROD SYS DIAGNOSES W CC/MCC | 12.00 | 0.00%   | 50.00%  | \$19,662  |
| 749 | OTHER FEMALE REPROD SYS PROC W CC/MCC    | 4.00  | 0.00%   | 0.00%   | \$18,014  |
| 797 | VAGINAL DELIVERY W STERZN/D&C W CC       | 2.45  | 0.00%   | 0.00%   | \$9,641   |
| 800 | SPLENECTOMY W CC                         | 7.00  | 0.00%   | 50.00%  | \$19,954  |
| 802 | OTH O.R. PROC BLD&BLD FORM ORGANS W MCC  | 1.00  | 0.00%   | 0.00%   | \$22,556  |
| 820 | LYMPHOMA&LEUKEMIA W MAJ O.R. PROC W MCC  | 31.75 | 0.00%   |         | \$67,561  |
| 828 | MYLOPROLIF DISORD/NEOPLM PROC WO CC/MCC  | 1.73  | 0.00%   | 0.00%   | \$11,277  |
| 839 | CHEMOTHAPY W AC LEUK SDX WO CC/MCC       | 4.24  | 0.00%   |         | \$4,905   |
| 881 | DEPRESSIVE NEUROSES                      | 4.90  | 0.00%   |         | \$9,986   |
| 887 | OTHER MENTAL DISORD DIAGNOSES            | 3.74  | 0.00%   |         | \$10,536  |
| 913 | TRAUMATIC INJURY W MCC                   | 10.91 | 0.00%   | 0.00%   | \$21,808  |
| 939 | OR PROC W DX OTH CNTCT W HLTH SERV W MCC | 5.48  | 0.00%   | 0.00%   | \$23,054  |
| 965 | OTHER MULT SIGFN TRAM WO CC/MCC          | 4.47  | 0.00%   | 0.00%   | \$13,843  |
| 976 | HIV W MAJOR RELATED CONDITION WO CC/MCC  | 2.45  | 0.00%   | 0.00%   | \$4,576   |
| 31  | VENTRICULAR SHUNT PROC W MCC             | 13.00 | 0.00%   | 0.00%   | \$42,889  |
| 53  | SPINAL DISORD AND INJURIES WO CC/MCC     | 1.00  | 0.00%   | 0.00%   | \$2,640   |
| 76  | VIRAL MENINGITIS WO CC/MCC               | 1.00  | 0.00%   | 0.00%   | \$2,867   |
| 122 | ACUTE MAJOR EYE INFCT WO CC/MCC          | 3.00  | 0.00%   | 0.00%   | \$3,178   |
| 135 | SINUS AND MASTOID PROC W CC/MCC          | 6.00  | 0.00%   | 0.00%   | \$14,194  |
| 143 | OTH EAR,NOSE,MOTH&THROAT O.R. PROC W MCC | 3.00  | 0.00%   | 100.00% | \$7,949   |
| 182 | RESPIRATORY NEOPLASMS WO CC/MCC          | 2.00  |         |         | \$7,580   |
| 197 | INTERSTITIAL LUNG DISEASE W CC           | 4.00  | 0.00%   | 0.00%   | \$5,555   |
| 198 | INTERSTITIAL LUNG DISEASE WO CC/MCC      | 1.00  | 0.00%   |         | \$2,129   |
| 218 | CARD VLV&CARDTHOR PROC W CATH WO CC/MCC  | 1.00  | 0.00%   | 0.00%   | \$34,063  |
| 231 | CORONARY BYPASS W PTCA W MCC             | 27.00 | 0.00%   | 0.00%   | \$113,279 |
| 259 | CARDIAC PACEMAKER DEV REPLACEMENT WO MCC | 5.00  | 0.00%   | 0.00%   | \$15,353  |
| 262 | CARD PACER REVIS EXCP DEV REPL WO CC/MCC | 3.00  | 0.00%   | 0.00%   | \$11,761  |
| 265 | AICD LEAD PROC                           | 3.00  | 0.00%   | 0.00%   | \$30,008  |
| 338 | APPENDECTOMY W COMP PRINCIPAL DX W MCC   | 6.00  | 0.00%   | 0.00%   | \$11,437  |
| 344 | MINOR SMALL AND LARGE BOWEL PROC W MCC   | 5.00  | 0.00%   | 0.00%   | \$17,353  |

|     |  |       |         |         |          |
|-----|--|-------|---------|---------|----------|
| 348 | ANAL AND STOMAL PROC W CC                | 2.00  | 0.00%   | 100.00% | \$6,712  |
| 383 | UNCOMPLICATED PEPTIC ULCER W MCC         | 7.00  | 100.00% |         | \$21,504 |
| 421 | HEPATOBIILIARY DIAGNOSTIC PROC W CC      | 11.00 | 0.00%   | 0.00%   | \$20,113 |
| 461 | BILAT/MULT MAJ JNT PROC LO EXTRM W MCC   | 5.00  | 0.00%   | 0.00%   | \$22,891 |
| 495 | LOC EXCIS&REMV INT FIX EXCP HIP& W MCC   | 1.00  | 0.00%   | 0.00%   | \$13,267 |
| 503 | FOOT PROC W MCC                          | 15.00 | 0.00%   | 0.00%   | \$61,163 |
| 507 | MAJOR SHLDR OR ELBOW JNT PROC W CC/MCC   | 16.00 | 0.00%   | 0.00%   | \$52,363 |
| 533 | FRACTURES OF FEMUR W MCC                 | 18.00 | 0.00%   | 0.00%   | \$29,012 |
| 538 | SPRAINS&DISLOC HIP PELVIS&THI WO CC/MCC  | 1.00  | 0.00%   | 0.00%   | \$6,607  |
| 595 | MAJOR SKIN DISORD W MCC                  | 4.00  | 0.00%   |         | \$6,823  |
| 615 | ADRENAL AND PITUITARY PROC WO CC/MCC     | 1.00  | 0.00%   | 0.00%   | \$11,990 |
| 618 | AMPUTATION OF LOWER LIMB FOR ENDOCRINE   | 2.00  | 0.00%   | 0.00%   | \$7,120  |
| 622 | SKIN GRFT&WWD DEBRID ENDOCR DISORD W MCC | 7.00  | 0.00%   | 0.00%   | \$15,913 |
| 630 | OTHER ENDOCR, NUTR&METAB PROC WO CC/MCC  | 1.00  | 0.00%   | 0.00%   | \$9,093  |
| 654 | MAJOR BLADDER PROC W CC                  | 7.00  | 0.00%   | 0.00%   | \$15,870 |
| 656 | KID&URETER PROC FOR NEOPLASM W MCC       | 2.00  | 0.00%   | 0.00%   | \$4,905  |
| 657 | KID&URETER PROC FOR NEOPLASM W CC        | 2.00  | 0.00%   |         | \$5,369  |
| 663 | MINOR BLADDER PROC W CC                  | 1.00  | 0.00%   | 0.00%   | \$8,125  |
| 669 | TRANSURETHRAL PROC W CC                  | 17.00 | 0.00%   | 0.00%   | \$24,859 |
| 711 | TESTES PROC W CC/MCC                     | 3.00  | 0.00%   | 0.00%   | \$14,722 |
| 715 | OTH MALE REPROD SYS PROC MALIG W CC/MCC  | 21.00 | 0.00%   |         | \$29,599 |
| 717 | OTH MALE REPROD PROC EXCP MALIG W CC/MCC | 3.00  | 0.00%   | 0.00%   | \$8,608  |
| 747 | VAGINA, CERVIX AND VULVA PROC WO CC/MCC  | 2.00  | 0.00%   | 0.00%   | \$2,300  |
| 750 | OTHER FEMALE REPROD SYS PROC WO CC/MCC   | 1.00  | 0.00%   | 0.00%   | \$12,368 |
| 758 | INFCT, FEMALE REPRODUCTIVE SYS W CC      | 2.00  | 0.00%   | 0.00%   | \$1,988  |
| 761 | MENSTRUAL&OTH FEM REPROD DISORD WOCC/MCC | 1.00  | 0.00%   | 0.00%   | \$2,857  |
| 770 | ABORTION W D&C                           | 1.00  | 0.00%   |         | \$3,699  |
| 796 | VAGINAL DELIVERY W STERZN/D&C W MCC      | 4.00  | 0.00%   |         | \$10,132 |
| 798 | VAGINAL DELIVERY W STERZN/D&C WO CC/MCC  | 2.00  | 0.00%   | 0.00%   | \$8,473  |
| 827 | MYELOPROLIF DISORD/NEOPLM MAJ PROC W CC  | 8.00  | 0.00%   | 0.00%   | \$30,991 |
| 865 | VIRAL ILLNESS W MCC                      | 3.00  | 0.00%   | 0.00%   | \$5,014  |
| 905 | SKIN GRAFTS FOR INJURIES WO CC/MCC       | 4.00  | 0.00%   | 0.00%   | \$9,588  |
| 928 | FULL THICK BURN W GRFT/INHAL INJ WCC/MCC | 14.00 | 0.00%   | 0.00%   | \$36,577 |
| 969 | HIV W EXTENSIVE O.R. PROC W MCC          | 18.00 | 0.00%   | 0.00%   | \$35,508 |
| 977 | HIV W OR WO OTHER RELATED CONDITION      | 4.00  | 0.00%   | 0.00%   | \$10,270 |